

## **UDOH AEMT Ground Ambulance Inspection Checklist**

## Name of Agency:

Agency Service Number:

Inspected by:

Date of Inspection:

Vehicle Information							
	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7
Vehicle License Plate Number							
VIN Number							
Year of Vehicle							
Type of Vehicle (Ambulance,							
Fire Truvk Transport, Reserve,							
Other)							
Type of Inspection (Annual,							
New Vehicle, New License)							
Defibrillator/AED Serial Number							
<u>Vehicle Checklist</u>							
	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7
Approved waiver							
Triage system							
Sanitary conditions							
Emergency Response							
Guidebook (ERG)							
Flashing lights and siren							
Radio equipment							
Written standing orders							
Pediatric Reference Manual							
2 Heavy duty shears							
1 OB Kit (includes cord clamp,							
scissors, scalpel, bulb syringe,							
drapes, towels, gloves, feminine							
napkin, and biohazard bags)							
12 4"x4" sterile gauze pads							
2 Sterile dressings, 5"x9",							
8"x10" or equivalent							
8 Bandages, soft roller type,							
4"x5 yards or equivalent							
2 Rolls tape							
2 Triangular bandages			1		1		1

	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7
2 Occlusive sterile dressings or							
equivalent							
1 Box gloves, non-sterile, latex							
free or equivalent							
1 Thermometer							
1 Glucose measuring device and							
supplies							
1 Commercial tourniquet							
3 Cervical collars or equivalent							
(adult)							
1 Cervical collar or equivalent							
(pediatric)							
1 Fire extinguisher with current							
sticker, dry chemical rating							
(2A10BC) or halogen							
extinguisher, 2.5 – 10 pounds							
2 Immobilization devices, head							
or equivalent							
1 Lower extremity traction							
splint (adult)							
1 Lower extremity traction							
splint (pediatric)							
1 Upper extremity splint							
1 Lower extremity splint, non-							
traction							
1 Short spine board (wood must							
be coated and sealed)							
1 Long spine board (wood must							
be coated and sealed)							
1 Full body immobilization							
device (pediatric)							
2 Pillows (with vinyl cover or							
single use disposable)							
2 Blankets							
1 Mylar blanket						ļ	
2 Sheets	ļ						
3 Towels	ļ					<b> </b>	
2 Bio-hazard bags	ļ					<b> </b>	
2 Emesis basins or bags, or							
large basins	ļ						
2 Urinals (male and female) or							
universal							

	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7
1 Full body substance isolation							
protection (one per crew							
member)							
1 N95 or N100 mask (one per							
crew member)							
1 Eyewear, protective (goggles							
or face shield) per crew							
member							
1 Car seat or equivalent							
approved by federal safety							
standards							
Reflective safety vest (OSHA							
approved) for each crew							
member							
1 Bottle disinfecting agent for							
cleaning vehicle and equipment							
of body fluids in accordance to							
OSHA standards. Bleach diluted							
between 1:10 – 1:100 with							
water							
1 Ring cutter							
1 Hard commercial eye shield							
1 Suction device, portable							
and/or fixed with wide-bore							
tubing and rigid pharyngeal							
suction tip							
1 Bag valve mask (adult)							
1 Bag valve mask (pediatric)							
with a child and infant mask							
1 Syringe/aspirator infant bulb							
type. Separate from the OB kit							
1 Oropharyngeal airway (adult)							
T Oropharyngedi all way (adult)							
1 Oropharyngeal airway (child)							
1 Oropharyngeal airway (infant)							
1 Nasopharyngeal airway							
(adult)							
1 Nasopharyngeal airway (child)							

	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7
1 Nasopharyngeal airway							
(infant)							
2 Non-rebreather or partial non-							
rebreather 02 mask (adult)							
Tebreather 02 mask (addit)							
2 Non-rebreather or partial non-							
rebreather 02 mask (pediatric)							
2 Nasal cannulas (adult)							
1 Nasal cannula (child)							
1 Nasal cannula (infant)							
1 Oxygen delivery system,							
permanent, large capacity							
1 Portable oxygen delivery							
apparatus, metered flow with							
adequate tubing							
1 Tube or equivalent, water							
based lubricant							
1 Pulse oximeter, with adult							
and pediatric probes							
2 Nebulizer containers, small							
volume for aerosol solutions							
1 Magill forceps (adult)							
1 Magill forceps (child/infant)							
1 Supraglottic airway device							
(adult)							
1 Supraglottic airway device							
(pediatric)							
1 Defibrillator with ECG display							
or Automated External							
Defibrillator (AED) portable							
battery operated							
2 Electrode pads for							
defibrillation (adult)							
2 Electrode pads for							
defibrillation (pediatric)							
10 Alcohol or iodine prep pads							
2 IV start kits or equivalent							
2 arm boards or equivalent							
(Sam Splints)							
5 Extension tubing							
1 Sharps container							
1 Safety razor							

	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7
2 Saline locks							
4 Normal saline for							
injection/inhalation							
2 60cc syringes							
2 10cc syringes							
2 3cc syringes							
2 1cc syringes							
2 14g over the cath. IV needles							
2 16g over the cath. IV needles							
2 18g over the cath. IV needles							
2 20g over the cath. IV needles							
2 22g over the cath. IV needles							
2 24g over the cath. IV needles							
5 IV tubing capable of micro and macro drip or equivalent							
2 Albuterol Sulfate 2.5mg premixed							
8 81mg chewable aspirin							
2 Dextrose 50%, 25gm preload or dextrose 10% 250ml							
Epinephrine 1:1000 1cc (1mg/1cc): 5mg 1cc syringe 22 gauge needle or equivalent							
1 1mg vial Glucagon							
500cc Irrigation solution		1	1	1	1	1	1
2 2mg Naloxone HCL			1		1		
1 Nitroglycerine, 0.4mg (tablets							
or spray)							
2 Oral glucose tubes 15mg							
concentrated or equivalent							
4000cc Ringer's lactate or				1		1	
normal saline or combination of							
both							

	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7			
Mue	t have at lo	ost one of t	no following	nain madi	cations					
Must have at least one of the following pain medications										
200mcg Fentanyl										
2 10mg Morphine sulfate										
10mg Nalbuphine										
Nitrous Oxide and required										
administration sets										
	<u>Option</u>	nal Equipme	ent and Me	dications						
Hemostatic gauze or agent										
Whole body vacuum splint										
Inflatable back raft										
Transcutaneous carbon										
monoxide detector										
1 60cc cath. tip syringe										
End-tidal C02 monitor										
CPAP device										
Morgan lens for ocular										
irrigation										
Oro nasogastric tubes (adult										
and/or child)										
Automated transport ventilator										
Impedance threshold device										
Automated chest compression										
device										
12 lead ECG with transmission										
capability										
1 Intraosseous needle – 15g or										
16g or delivery system										
1 Intraosseous needle – 18g or										
delivery system										
1 Volutrol pediatric IV chamber										
Mucosal atomization device										
Vacutainer holders										
Vacutainer tubes			1	1						
Three-way stopcock			1				1			
Acetaminophen elixir										
160mg/5ml										
Activated charcoal										

	Vehicle 1	Vehicle 2	Vehicle 3	Vehicle 4	Vehicle 5	Vehicle 6	Vehicle 7			
<b>Optional Equipment and Medications</b>										
Amiodarone 300mg IV										
Atropine Sulfate 1mg each										
Calcium gluconate										
CyanoKit										
Diazepam										
Diphenhydramine 50mg										
2 Epinephrine 1:10000 1mg										
each										
Ibuprofen (adult and pediatric)										
lpratropium Bromide (nebulizer)										
Lidocaine (IV for cardiac use)										
Lorazepam										
Midazolam										
Ondansetron 8mg										
2 Promethazine HCL 25mg each										
Sodium Bicarbonate 50mEg each										
Nerve Agent Antidote – Mark 1 or Duodote										