

**Report Parameters:****Report Period:** From 01/01/2012 to 12/31/2012**Selected Coded Field:** Basic: Incident Type**State:** UT**Version:** All**Status:** All**Released:** All**Report Filters:****NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group2 and Group 3 etc...)**

**Report FDIDs\*:** 49018, 49019, 49016, 49017, 49011, 49010, 09003, 21008, 49015, 21007, 49014, 49013, 09002, 21009, 49012, 21004, 59201, 21003, 21006, 21005, 21002, 21001, 15007, 15006, 15005, 15004, 15009, 15008, 49005, 49007, 49009, 47002, 47004, 47003, 47006, 47005, 47008, 49002, 47007, 49001, 49004, 49003, 15002, 15003, 15001, 53007, 53006, 53009, 53008, 53003, 53002, 29002, 53005, 53004, 23010, 29003, 25012, 25011, 25010, 53019, 53018, 53017, 25003, 25004, 53015, 25005, 53014, 25006, 53013, 25007, 49027, 53012, 53011, 25009, 53010, 23002, 49024, 23001, 23004, 31001, 23003, 49025, 31002, 23006, 49020, 31003, 23005, 31004, 25002, 23008, 49022, 25001, 23007, 49021, 23009, 59301, 59101, 05020, 13001, 13009, 13008, 13006, 13005, 13004, 13002, 13010, 41006, 41007, 41009, 05002, 05003, 41002, 41003, 41004, 05009, 05006, 05008, 05007, 41010, 05014, 05012, 05013, 05011, 41012, 05019, 05018, 05016, 51002, 51003, 51001, 37004, 51006, 59009, 37005, 51007, 59008, 37006, 51004, 37007, 11010, 51005, 37008, 59005, 37009, 59004, 51008, 59007, 51009, 59006, 11015, 59001, 19004, 59002, 59003, 37001, 19002, 19003, 37003, 11014, 37002, 11013, 11019, 51010, 51011, 51012, 51013, 51014, 51015, 51016, 51017, 51018, 51019, 37010, 03021, 11006, 03022, 43006, 43003, 11004, 11003, 43001, 37012, 11001, 37011, 03020, 43009, 11009, 43007, 11008, 59401, 45011, 45010, 51020, 35010, 35011, 35012, 35014, 55008, 35013, 35016, 35015, 27014, 45016, 55004, 27015, 55005, 45018, 55006, 27013, 55007, 27010, 27011, 55001, 45014, 55002, 45015, 55003, 27006, 27005, 27008, 27007, 35001, 11020, 35009, 35008, 35007, 35006, 35005, 35004, 35003, 45009, 35002, 33005, 27001, 33004, 27002, 45008, 27003, 45005, 33006, 27004, 45006, 33001, 33002, 45002, 07002, 07001, 39001, 39003, 07006, 39002, 07005, 39005, 01010, 39004, 07003, 53022, 53023, 53020, 53021, 53026, 53024, 53025, 39006, 39007, 39008, 07007, 39009, 07008, 39012, 39010, 39016, 39015, 39014, 39013, 01004, 01003, 01001, 03016, 17011, 03017, 17012, 03014, 03015, 17010, 57010, 03018, 17013, 57011, 57012, 57014, 57013, 03013, 03011, 03003, 03004, 17001, 03007, 17002, 03008, 17003, 03009, 17004, 17005, 17007, 57005, 57004, 17009, 17008, 57009, 03002, 57007

\*Data from deactivated fire depts within the list was not included in the report.

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
100	Fire, other	322	0.37 %	3	0	0.00 %	1	1.18 %	0	0.00 %	0	0.00 %	1,625,505	6.47 %	1,844,762	20.11 %	3,470,267	10.12 %
110	Structure fire, other (conversion only)	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
111	Building fires	734	0.84 %	33	5	55.56 %	41	48.24 %	0	0.00 %	12	36.36 %	16,117,742	64.14 %	5,095,719	55.55 %	21,213,461	61.84 %
112	Fires in structures other than in a building	66	0.08 %	5	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	239,275	0.95 %	85,300	0.93 %	324,575	0.95 %
113	Cooking fire, confined to container	308	0.35 %	0	0	0.00 %	4	4.71 %	0	0.00 %	0	0.00 %	25,006	0.10 %	23,590	0.26 %	48,596	0.14 %
114	Chimney or flue fire, confined to chimney or flue	61	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	23,950	0.10 %	148,700	1.62 %	172,650	0.50 %
115	Incinerator overload or malfunction, fire confined	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.01 %	1,000	0.00 %
116	Fuel burner/boiler malfunction, fire confined	20	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	8,949	0.04 %	600	0.01 %	9,549	0.03 %
117	Commercial Compactor fire, confined to rubbish	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	0	0.00 %	100	0.00 %
118	Trash or rubbish fire, contained	169	0.19 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,600	0.01 %	5,500	0.06 %	8,100	0.02 %
120	Fire in mobile prop. used as a fixed struc., other	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
121	Fire in mobile home used as fixed residence	23	0.03 %	0	0	0.00 %	2	2.35 %	0	0.00 %	1	3.03 %	53,150	0.21 %	25,000	0.27 %	78,150	0.23 %
122	Fire in motor home, camper, recreational vehicle	10	0.01 %	0	0	0.00 %	2	2.35 %	0	0.00 %	0	0.00 %	17,500	0.07 %	1,000	0.01 %	18,500	0.05 %
123	Fire in portable building, fixed location	8	0.01 %	3	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	6,050	0.02 %	2,999	0.03 %	9,049	0.03 %
130	Mobile property (vehicle) fire, other	71	0.08 %	8	1	11.11 %	0	0.00 %	0	0.00 %	0	0.00 %	441,100	1.76 %	108,300	1.18 %	549,400	1.60 %
131	Passenger vehicle fire	554	0.63 %	18	2	22.22 %	4	4.71 %	0	0.00 %	0	0.00 %	1,057,966	4.21 %	74,678	0.81 %	1,132,644	3.30 %
132	Road freight or transport vehicle fire	86	0.10 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,652,650	6.58 %	418,650	4.56 %	2,071,300	6.04 %
133	Rail vehicle fire	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,000	0.02 %	0	0.00 %	5,000	0.01 %
134	Water vehicle fire	6	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	13,000	0.05 %	2,000	0.02 %	15,000	0.04 %
135	Aircraft fire	0	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
136	Self-propelled motor home or recreational vehicle	10	0.01 %	2	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	32,500	0.13 %	500	0.01 %	33,000	0.10 %
137	Camper or recreational vehicle (RV) fire	31	0.04 %	2	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	194,150	0.77 %	17,560	0.19 %	211,710	0.62 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
138	Off-road vehicle or heavy equipment fire	20	0.02 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	286,600	1.14 %	26,201	0.29 %	312,801	0.91 %
140	Natural vegetation fire, other	161	0.18 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	7,730	0.03 %	3,330	0.04 %	11,060	0.03 %
141	Forest, woods or wildland fire	122	0.14 %	1	0	0.00 %	0	0.00 %	0	0.00 %	1	3.03 %	1	0.00 %	1	0.00 %	2	0.00 %
142	Brush, or brush and grass mixture fire	663	0.76 %	2	0	0.00 %	4	4.71 %	0	0.00 %	8	24.24 %	1,701,343	6.77 %	521,304	5.68 %	2,222,647	6.48 %
143	Grass fire	661	0.75 %	4	0	0.00 %	0	0.00 %	0	0.00 %	1	3.03 %	94,400	0.38 %	257,320	2.81 %	351,720	1.03 %
150	Outside rubbish fire, other	316	0.36 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,853	0.01 %	552	0.01 %	2,405	0.01 %
151	Outside rubbish, trash or waste fire	420	0.48 %	0	0	0.00 %	1	1.18 %	0	0.00 %	0	0.00 %	12,802	0.05 %	6,502	0.07 %	19,304	0.06 %
152	Garbage dump or sanitary landfill fire	18	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
153	Construction or demolition landfill fire	7	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
154	Dumpster or other outside trash receptacle fire	275	0.31 %	3	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	16,415	0.07 %	2,521	0.03 %	18,936	0.06 %
155	Outside stationary compactor/compacted trash fire	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
160	Special outside fire, other	118	0.13 %	1	0	0.00 %	2	2.35 %	0	0.00 %	0	0.00 %	6,820	0.03 %	300	0.00 %	7,120	0.02 %
161	Outside storage fire	29	0.03 %	1	0	0.00 %	1	1.18 %	0	0.00 %	0	0.00 %	115,600	0.46 %	45,800	0.50 %	161,400	0.47 %
162	Outside equipment fire	87	0.10 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	170,200	0.68 %	301,030	3.28 %	471,230	1.37 %
163	Outside gas or vapor combustion explosion	7	0.01 %	0	0	0.00 %	5	5.88 %	0	0.00 %	0	0.00 %	25,000	0.10 %	20	0.00 %	25,020	0.07 %
170	Cultivated vegetation, crop fire, other	20	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	4,520	0.02 %	6	0.00 %	4,526	0.01 %
171	Cultivated grain or crop fire	11	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	3,675	0.01 %	0	0.00 %	3,675	0.01 %
172	Cultivated orchard or vineyard fire	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
173	Cultivated trees or nursery stock fire	20	0.02 %	1	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
200	Overpressure rupture, explosion, overheat other	20	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	5,001	0.05 %	6,001	0.02 %
210	Overpressure rupture from steam, other	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
211	Overpressure rupture of steam pipe or pipeline	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
212	Overpressure rupture of steam boiler	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
220	Overpressure rupture from air or gas, other	13	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
221	Overpressure rupture of air or gas pipe/pipeline	21	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
222	Overpressure rupture of boiler from air or gas	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
223	Air or gas rupture of pressure or process vessel	6	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	500	0.00 %	0	0.00 %	500	0.00 %
231	Chemical reaction rupture of process vessel	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
240	Explosion (no fire), other	24	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	24,150	0.10 %	0	0.00 %	24,150	0.07 %
241	Munitions or bomb explosion (no fire)	0	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
243	Fireworks explosion (no fire)	8	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
251	Excessive heat, scorch burns with no ignition	97	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	600	0.00 %	0	0.00 %	600	0.00 %
300	Rescue, emergency medical call (EMS) call, other	1,820	2.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	52,700	0.21 %	0	0.00 %	52,700	0.15 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
311	Medical assist, assist EMS crew	7,118	8.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	21,568	0.09 %	100	0.00 %	21,668	0.06 %
320	Emergency medical service, other	526	0.60 %	0	0	0.00 %	1	1.18 %	0	0.00 %	0	0.00 %	1,200	0.00 %	0	0.00 %	1,200	0.00 %
321	EMS call, excluding vehicle accident with injury	33,195	37.81 %	0	0	0.00 %	1	1.18 %	0	0.00 %	1	3.03 %	0	0.00 %	0	0.00 %	0	0.00 %
322	Vehicle accident with injuries	3,060	3.49 %	0	0	0.00 %	11	12.94 %	0	0.00 %	8	24.24 %	21,000	0.08 %	3,000	0.03 %	24,000	0.07 %
323	Motor vehicle/pedestrian accident (MV Ped)	360	0.41 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
324	Motor vehicle accident with no injuries	1,274	1.45 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,000	0.00 %	0	0.00 %	1,000	0.00 %
331	Lock-in (if lock out , use 511 )	150	0.17 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
340	Search, other	13	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
341	Search for person on land	34	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
342	Search for person in water	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
350	Extrication, rescue, other	33	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
351	Extrication of victim(s) from building/structure	9	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	16,000	0.06 %	5,000	0.05 %	21,000	0.06 %
352	Extrication of victim(s) from vehicle	180	0.21 %	0	0	0.00 %	2	2.35 %	0	0.00 %	0	0.00 %	196,500	0.78 %	35,000	0.38 %	231,500	0.67 %
353	Removal of victim(s) from stalled elevator	94	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
354	Trench/below grade rescue	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
356	High angle rescue	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
357	Extrication of victim(s) from machinery	6	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
360	Water & ice related rescue, other	6	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
361	Swimming/recreational water areas rescue	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
362	Ice rescue	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
363	Swift water rescue	8	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
365	Watercraft rescue	6	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %



# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
370	Electrical rescue, other	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
371	Electrocution or potential electrocution	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
381	Rescue or EMS standby	94	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
400	Hazardous condition, other	457	0.52 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
410	Flammable gas or liquid condition, other	43	0.05 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
411	Gasoline or other flammable liquid spill	285	0.32 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	50,800	0.20 %	10,820	0.12 %	61,620	0.18 %
412	Gas leak (natural gas or LPG)	961	1.09 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	650	0.01 %	650	0.00 %
413	Oil or other combustible liquid spill	72	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,100	0.00 %	0	0.00 %	1,100	0.00 %
420	Toxic condition, other	13	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
421	Chemical hazard (no spill or leak)	18	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
422	Chemical spill or leak	65	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
423	Refrigeration leak	4	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
424	Carbon monoxide incident	601	0.68 %	0	1	11.11 %	1	1.18 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
430	Radioactive condition, other	0	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
440	Electrical wiring/equipment problem, other	212	0.24 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	4,900	0.02 %	50	0.00 %	4,950	0.01 %
441	Heat from short circuit (wiring), defective/worn	63	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	4,000	0.04 %	4,000	0.01 %
442	Overheated motor	68	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	900	0.00 %	8,200	0.09 %	9,100	0.03 %
443	Light ballast breakdown	21	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	0	0.00 %	100	0.00 %
444	Power line down	537	0.61 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	1,500	0.01 %	500	0.01 %	2,000	0.01 %
445	Arcing, shorted electrical equipment	312	0.36 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,575	0.02 %	300	0.00 %	5,875	0.02 %
451	Biological hazard, confirmed or suspected	11	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
460	Accident, potential accident, other	22	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
461	Building or structure weakened or collapsed	9	0.01 %	0	0	0.00 %	2	2.35 %	0	0.00 %	0	0.00 %	25,000	0.10 %	0	0.00 %	25,000	0.07 %
462	Aircraft standby	218	0.25 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
463	Vehicle accident, general cleanup	205	0.23 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	23,000	0.09 %	0	0.00 %	23,000	0.07 %
471	Explosive, bomb removal (for bomb scare, use 721)	24	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
480	Attempted burning, illegal action, other	53	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
481	Attempt to burn	11	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
482	Threat to burn	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
500	Service Call, other	319	0.36 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	13,500	0.05 %	0	0.00 %	13,500	0.04 %
510	Person in distress, other	115	0.13 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
511	Lock-out	329	0.37 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
512	Ring or jewelry removal	6	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5	0.00 %	5	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
520	Water problem, other	274	0.31 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	30,000	0.12 %	15,000	0.16 %	45,000	0.13 %
521	Water evacuation	30	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	510,000	2.03 %	2,000	0.02 %	512,000	1.49 %
522	Water or steam leak	203	0.23 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	72,000	0.29 %	50,500	0.55 %	122,500	0.36 %
531	Smoke or odor removal	553	0.63 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,500	0.01 %	0	0.00 %	2,500	0.01 %
540	Animal problem, other	11	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
541	Animal problem	10	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
542	Animal rescue	77	0.09 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
550	Public service assistance, other	441	0.50 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
551	Assist police or other governmental agency	478	0.54 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
552	Police matter	128	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
553	Public service	236	0.27 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,200	0.01 %	300	0.00 %	2,500	0.01 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
554	Assist invalid	523	0.60 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
555	Defective elevator, no occupants	29	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
561	Unauthorized burning	696	0.79 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,000	0.01 %	2,000	0.02 %	4,000	0.01 %
571	Cover assignment, standby, moveup	454	0.52 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
600	Good intent call, other	1,375	1.57 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	3,500	0.01 %	0	0.00 %	3,500	0.01 %
611	Dispatched & canceled en route	9,449	10.76 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
621	Wrong location	23	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
622	No incident found at dispatch address	566	0.64 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	6,500	0.03 %	0	0.00 %	6,500	0.02 %
631	Authorized controlled burning	310	0.35 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	100	0.00 %	100	0.00 %
632	Prescribed fire	16	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
641	Vicinity alarm (incident in other location)	23	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
650	Steam, other gas mistaken for smoke, other	73	0.08 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
651	Smoke scare, odor of smoke	835	0.95 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	2,203	0.01 %	302	0.00 %	2,505	0.01 %
652	Steam, vapor, fog or dust thought to be smoke	130	0.15 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
653	Barbecue, tar kettle	51	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
661	EMS call, party transported by non-fire agency	28	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
671	Hazmat release investigation w/ no hazmat	285	0.32 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
672	Biological hazard, none found	4	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
700	False alarm or false call, other	2,781	3.17 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	500	0.00 %	0	0.00 %	500	0.00 %
710	Malicious, mischievous false call, other	104	0.12 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
711	Municipal alarm system, malicious false alarm	21	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
712	Direct tie to FD, malicious/false alarm	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
713	Telephone, malicious false alarm	13	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
714	Central station, malicious false alarm	23	0.03 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
715	Local alarm system, malicious false alarm	41	0.05 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
721	Bomb scare - no bomb	62	0.07 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
730	System malfunction, other	312	0.36 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
731	Sprinkler activation due to malfunction	57	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	40,100	0.16 %	10,000	0.11 %	50,100	0.15 %
732	Extinguishing system activation due to malfunction	7	0.01 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
733	Smoke detector activation due to malfunction	708	0.81 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
734	Heat detector activation due to malfunction	36	0.04 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
735	Alarm system sounded due to malfunction	1,051	1.20 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	800	0.00 %	0	0.00 %	800	0.00 %
736	CO detector activation due to malfunction	1,170	1.33 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %

# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
740	Unintentional transmission of alarm, other	405	0.46 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
741	Sprinkler activation, no fire - unintentional	95	0.11 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	5,000	0.02 %	0	0.00 %	5,000	0.01 %
742	Extinguishing system activation	14	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	15,000	0.06 %	0	0.00 %	15,000	0.04 %
743	Smoke detector activation, no fire - unintentional	1,216	1.39 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
744	Detector activation, no fire - unintentional	501	0.57 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
745	Alarm system sounded, no fire - unintentional	1,749	1.99 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	200	0.00 %	0	0.00 %	200	0.00 %
746	Carbon monoxide detector activation, no CO	933	1.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
751	Biological hazard, malicious false report	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
800	Severe weather or natural disaster, other	17	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
811	Earthquake assessment	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
812	Flood assessment	57	0.06 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %



# Tally

**Selected Coded Field:** Basic: Incident Type

**Report Period:** From 01/01/2012 to 12/31/2012

CODE	Description	FREQ	FREQ %	EXPs	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTHS %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
813	Wind storm, tornado/hurricane assessment	3	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	10,000	0.04 %	0	0.00 %	10,000	0.03 %
814	Lightning strike (no fire)	16	0.02 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
815	Severe weather or natural disaster standby	1	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
900	Special type of incident, other	170	0.19 %	0	0	0.00 %	0	0.00 %	0	0.00 %	1	3.03 %	0	0.00 %	0	0.00 %	0	0.00 %
911	Citizen complaint	211	0.24 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
UUU	Undetermined incident type (conversion only)	2	0.00 %	0	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %	0	0.00 %
<b>Totals</b>		87,797	100 %	90	9	100 %	85	100 %	0	0 %	33	100 %	25,128,248	100 %	9,173,573	100 %	34,301,821	100 %
<b>Mutual Aid Given Incidents</b>		4,327																