Report Parameters:

Report Period: From 01/01/2011 to 12/31/2011


State: UT Version: All Status: All Released: All Sort by: Fire Dept Name

Report Filters*:

NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group2 and Group 3 etc...)

Report FDIDs*: All


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|--------------------|------------|
| 25001 | Structure Fires (110 - 123) | 2 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Alton FD | Outside Fires (140 - 173) | 2 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------------------|-----------------------------|------------|------------|-------------|------------|
| 49002 | Structure Fires (110 - 123) | 7 | 21.21 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 7 | 21.21 % | 722 | 16.14 % |
| American Fork Fire Department | Outside Fires (140 - 173) | 10 | 30.30 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 9 | 27.27 % | 285 | 6.37 % |
| | Total Fires | 33 | 100.00 % | 4.472 | 100.00 % |



10 - Fire, other
11 - Structure Fire
12 - Fire in mobile property used as a fixed structure
13 - Mobile property (vehicle) fire
14 - Natural vegetation fire
15 - Outside rubbish fire

^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 41002 | Structure Fires (110 - 123) | 1 | 33.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Aurora FD | Outside Fires (140 - 173) | 2 | 66.67 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 47008 | Structure Fires (110 - 123) | 2 | 28.57 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Avalon FD | Outside Fires (140 - 173) | 5 | 71.43 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 7 | 100.00 % | 4,472 | 100.00 % |



● 11 - Structure Fire ● 12 - Fire in mobile property used as a fixed structure ● 14 - Natural vegetation fire ○ 16 - Special outside fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------|-----------------------------|------------|------------|-------------|------------|
| 37002 | Structure Fires (110 - 123) | 1 | 16.67 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 16.67 % | 722 | 16.14 % |
| Bluff Fire Department | Outside Fires (140 - 173) | 4 | 66.67 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 6 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 35012 | Structure Fires (110 - 123) | 1 | 5.26 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 5.26 % | 722 | 16.14 % |
| Bluffdale FD | Outside Fires (140 - 173) | 17 | 89.47 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 19 | 100.00 % | 4.472 | 100.00 % |



^{● 11 –} Structure Fire ● 13 – Mobile property (vehicle) fire ● 14 – Natural vegetation fire ○ 15 – Outside rubbish fire

^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------|-----------------------------|------------|------------|-------------|------------|
| 03003 | Structure Fires (110 - 123) | 28 | 53.85 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 7 | 13.46 % | 722 | 16.14 % |
| Brigham City FD | Outside Fires (140 - 173) | 17 | 32.69 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 52 | 100.00 % | 4.472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------|-----------------------------|------------|------------|-------------|------------|
| 05002 | Structure Fires (110 - 123) | 1 | 33.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Cache County FD | Outside Fires (140 - 173) | 1 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 33.33 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 15001 | Structure Fires (110 - 123) | 4 | 100.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Castle Dale FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|--------------------|------------|
| 21002 | Structure Fires (110 - 123) | 38 | 32.76 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 11 | 9.48 % | 722 | 16.14 % |
| Cedar City FD | Outside Fires (140 - 173) | 63 | 54.31 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 4 | 3.45 % | 285 | 6.37 % |
| | Total Fires | 116 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------------------|-----------------------------|------------|------------|-------------|------------|
| 49003 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Cedar Fort Fire Department | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 100.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------|-----------------------------|------------|------------|-------------|------------|
| 25007 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Cedar Mountain FD | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 51001 | Structure Fires (110 - 123) | 2 | 66.67 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 33.33 % | 722 | 16.14 % |
| Charleston FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 15002 | Structure Fires (110 - 123) | 1 | 33.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 33.33 % | 722 | 16.14 % |
| Cleveland FD | Outside Fires (140 - 173) | 1 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |




● 12 - Fire in mobile property used as a fixed structure ● 13 - Mobile property (vehicle) fire ● 14 - Natural vegetation fire

^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 11004 | Structure Fires (110 - 123) | 8 | 27.59 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 8 | 27.59 % | 722 | 16.14 % |
| Clinton FD | Outside Fires (140 - 173) | 13 | 44.83 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 29 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|--------------------|------------|
| 27001 | Structure Fires (110 - 123) | 6 | 16.67 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 5 | 13.89 % | 722 | 16.14 % |
| Delta FD | Outside Fires (140 - 173) | 25 | 69.44 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 36 | 100.00 % | 4,472 | 100.00 % |






^{○ 14 -} Natural vegetation fire ○ 15 - Outside rubbish fire ○ 17 - Cultivated vegetation, crop fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 13002 | Structure Fires (110 - 123) | 7 | 53.85 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 15.38 % | 722 | 16.14 % |
| Duchesne FD | Outside Fires (140 - 173) | 3 | 23.08 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 7.69 % | 285 | 6.37 % |
| | Total Fires | 13 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------------------------|-----------------------------|------------|------------|-------------|------------|
| 49022 | Structure Fires (110 - 123) | 8 | 38.10 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 9.52 % | 722 | 16.14 % |
| Eagle Mountain Fire Department | Outside Fires (140 - 173) | 10 | 47.62 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 4.76 % | 285 | 6.37 % |
| | Total Fires | 21 | 100.00 % | 4,472 | 100.00 % |





^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------------------|-----------------------------|------------|------------|-------------|------------|
| 49015 | Structure Fires (110 - 123) | 1 | 100.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Elk Ridge Fire Department | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 15003 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Elmo FD | Outside Fires (140 - 173) | 4 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------------------|-----------------------------|------------|------------|-------------|------------|
| 53002 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 50.00 % | 722 | 16.14 % |
| Enterprise Fire Department | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------------|-----------------------------|------------|------------|-------------|------------|
| 39002 | Structure Fires (110 - 123) | 6 | 35.29 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 17.65 % | 722 | 16.14 % |
| Ephraim Fire Department | Outside Fires (140 - 173) | 7 | 41.18 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 5.88 % | 285 | 6.37 % |
| | Total Fires | 17 | 100.00 % | 4,472 | 100.00 % |



● 10 – Fire, other ● 11 – Structure Fire ● 13 – Mobile property (vehicle) fire ○ 14 – Natural vegetation fire ○ 15 – Outside rubbish fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 17005 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Escalante FD | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 23001 | Structure Fires (110 - 123) | 2 | 33.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 16.67 % | 722 | 16.14 % |
| Eureka FD | Outside Fires (140 - 173) | 3 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 6 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 11006 | Structure Fires (110 - 123) | 10 | 45.45 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 5 | 22.73 % | 722 | 16.14 % |
| Farmington FD | Outside Fires (140 - 173) | 6 | 27.27 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 4.55 % | 285 | 6.37 % |
| | Total Fires | 22 | 100.00 % | 4,472 | 100.00 % |



● 10 – Fire, other ● 11 – Structure Fire ● 13 – Mobile property (vehicle) fire ○ 14 – Natural vegetation fire ● 15 – Outside rubbish fire

^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 03007 | Structure Fires (110 - 123) | 1 | 11.11 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 11.11 % | 722 | 16.14 % |
| Fielding FD | Outside Fires (140 - 173) | 4 | 44.44 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 33.33 % | 285 | 6.37 % |
| | Total Fires | 9 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 13009 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Fruitland FD | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 33001 | Structure Fires (110 - 123) | 2 | 100.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Garden City FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 03008 | Structure Fires (110 - 123) | 1 | 11.11 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Garland FD | Outside Fires (140 - 173) | 5 | 55.56 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 33.33 % | 285 | 6.37 % |
| | Total Fires | 9 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------------|-----------------------------|------------|------------|--------------------|------------|
| 49004 | Structure Fires (110 - 123) | 3 | 42.86 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Genola Fire Department | Outside Fires (140 - 173) | 4 | 57.14 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 7 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------------|-----------------------------|------------|------------|-------------|------------|
| 49005 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Goshen Fire Department | Outside Fires (140 - 173) | 5 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 15007 | Structure Fires (110 - 123) | 6 | 54.55 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 27.27 % | 722 | 16.14 % |
| Green River FD | Outside Fires (140 - 173) | 2 | 18.18 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 11 | 100.00 % | 4.472 | 100.00 % |





^{● 11 –} Structure Fire ● 12 – Fire in mobile property used as a fixed structure ● 13 – Mobile property (vehicle) fire

○ 14 - Natural vegetation fire

^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------------------|-----------------------------|------------|------------|-------------|------------|
| 39006 | Structure Fires (110 - 123) | 2 | 12.50 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Gunnison Fire Department | Outside Fires (140 - 173) | 11 | 68.75 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 18.75 % | 285 | 6.37 % |
| | Total Fires | 16 | 100.00 % | 4.472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 51007 | Structure Fires (110 - 123) | 9 | 40.91 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 13.64 % | 722 | 16.14 % |
| Heber FD | Outside Fires (140 - 173) | 9 | 40.91 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 4.55 % | 285 | 6.37 % |
| | Total Fires | 22 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 07003 | Structure Fires (110 - 123) | 4 | 40.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 10.00 % | 722 | 16.14 % |
| Helper FD | Outside Fires (140 - 173) | 5 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 10 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------------|-----------------------------|------------|------------|-------------|------------|
| 53003 | Structure Fires (110 - 123) | 36 | 25.90 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 7 | 5.04 % | 722 | 16.14 % |
| Hildale Fire Department | Outside Fires (140 - 173) | 87 | 62.59 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 9 | 6.47 % | 285 | 6.37 % |
| | Total Fires | 139 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 03009 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 20.00 % | 722 | 16.14 % |
| Honeyville FD | Outside Fires (140 - 173) | 4 | 80.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 15008 | Structure Fires (110 - 123) | 12 | 54.55 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 13.64 % | 722 | 16.14 % |
| Huntington FD | Outside Fires (140 - 173) | 7 | 31.82 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 22 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------------------|-----------------------------|------------|------------|-------------|------------|
| 53004 | Structure Fires (110 - 123) | 15 | 14.15 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 9 | 8.49 % | 722 | 16.14 % |
| Hurricane Fire Department | Outside Fires (140 - 173) | 68 | 64.15 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 14 | 13.21 % | 285 | 6.37 % |
| | Total Fires | 106 | 100.00 % | 4,472 | 100.00 % |




10 - Fire, other
11 - Structure Fire
12 - Fire in mobile property used as a fixed structure
13 - Mobile property (vehicle) fire
14 - Natural vegetation fire
15 - Outside rubbish fire

^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 05006 | Structure Fires (110 - 123) | 13 | 39.39 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 9.09 % | 722 | 16.14 % |
| Hyrum FD | Outside Fires (140 - 173) | 17 | 51.52 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 33 | 100.00 % | 4.472 | 100.00 % |





^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|--------------------|------------|
| 39016 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Indianola FD | Outside Fires (140 - 173) | 1 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------|-----------------------------|------------|------------|-------------|------------|
| 53005 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Ivins Fire Department | Outside Fires (140 - 173) | 6 | 75.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 25.00 % | 285 | 6.37 % |
| | Total Fires | 8 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|--------------------|------------|
| 47006 | Structure Fires (110 - 123) | 4 | 80.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Jensen FD | Outside Fires (140 - 173) | 1 | 20.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------|-----------------------------|------------|------------|--------------------|------------|
| 51020 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Jordanelle #2 FD | Outside Fires (140 - 173) | 1 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 51009 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 50.00 % | 722 | 16.14 % |
| Jordanelle FD | Outside Fires (140 - 173) | 3 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 6 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 31002 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Junction FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 100.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 25004 | Structure Fires (110 - 123) | 17 | 36.17 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 6.38 % | 722 | 16.14 % |
| Kanab FD | Outside Fires (140 - 173) | 25 | 53.19 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 4.26 % | 285 | 6.37 % |
| | Total Fires | 47 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 11009 | Structure Fires (110 - 123) | 13 | 25.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 9 | 17.31 % | 722 | 16.14 % |
| Kaysville FD | Outside Fires (140 - 173) | 22 | 42.31 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 8 | 15.38 % | 285 | 6.37 % |
| | Total Fires | 52 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 51008 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 50.00 % | 722 | 16.14 % |
| Lake Creek FD | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------------|-----------------------------|------------|------------|-------------|------------|
| 47005 | Structure Fires (110 - 123) | 5 | 33.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 13.33 % | 722 | 16.14 % |
| Lapoint/Tridell FD | Outside Fires (140 - 173) | 6 | 40.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 13.33 % | 285 | 6.37 % |
| | Total Fires | 15 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------|-----------------------------|------------|------------|-------------|------------|
| 37007 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| LaSal Fire Department | Outside Fires (140 - 173) | 1 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 11010 | Structure Fires (110 - 123) | 37 | 36.27 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 24 | 23.53 % | 722 | 16.14 % |
| Layton FD | Outside Fires (140 - 173) | 40 | 39.22 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 0.98 % | 285 | 6.37 % |
| | Total Fires | 102 | 100.00 % | 4,472 | 100.00 % |





^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 27006 | Structure Fires (110 - 123) | 1 | 16.67 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 16.67 % | 722 | 16.14 % |
| Leamington FD | Outside Fires (140 - 173) | 4 | 66.67 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 6 | 100.00 % | 4,472 | 100.00 % |





^{■ 12 –} Fire in mobile property used as a fixed structure ■ 13 – Mobile property (vehicle) fire ■ 14 – Natural vegetation fire

^{○ 15 –} Outside rubbish fire

^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------------|-----------------------------|------------|------------|-------------|------------|
| 49007 | Structure Fires (110 - 123) | 14 | 28.57 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 11 | 22.45 % | 722 | 16.14 % |
| Lehi Fire Department | Outside Fires (140 - 173) | 19 | 38.78 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 5 | 10.20 % | 285 | 6.37 % |
| | Total Fires | 49 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 23003 | Structure Fires (110 - 123) | 2 | 25.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Levan FD | Outside Fires (140 - 173) | 6 | 75.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 8 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 05007 | Structure Fires (110 - 123) | 1 | 20.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Lewiston FD | Outside Fires (140 - 173) | 4 | 80.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4.472 | 100.00 % |



 ^{11 -} Structure Fire
14 - Natural vegetation fire
15 - Outside rubbish fire
16 - Special outside fire
17 - Cultivated vegetation, crop fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------------------|-----------------------------|------------|------------|-------------|------------|
| 25005 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Long Valley/Orderville FD | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|--------------------|------------|
| 27007 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Lynndyl FD | Outside Fires (140 - 173) | 1 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 03011 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 66.67 % | 722 | 16.14 % |
| Mantua FD | Outside Fires (140 - 173) | 1 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------------|-----------------------------|------------|------------|-------------|------------|
| 05009 | Structure Fires (110 - 123) | 2 | 18.18 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 9.09 % | 722 | 16.14 % |
| MENDON FIRE AND EMS | Outside Fires (140 - 173) | 5 | 45.45 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 27.27 % | 285 | 6.37 % |
| | Total Fires | 11 | 100.00 % | 4.472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 35002 | Structure Fires (110 - 123) | 24 | 66.67 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 7 | 19.44 % | 722 | 16.14 % |
| Midvale FD | Outside Fires (140 - 173) | 4 | 11.11 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 2.78 % | 285 | 6.37 % |
| | Total Fires | 36 | 100.00 % | 4,472 | 100.00 % |



● 10 – Fire, other ● 11 – Structure Fire ● 13 – Mobile property (vehicle) fire ○ 14 – Natural vegetation fire ● 15 – Outside rubbish fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 51003 | Structure Fires (110 - 123) | 3 | 37.50 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 37.50 % | 722 | 16.14 % |
| Midway FD | Outside Fires (140 - 173) | 2 | 25.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 8 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|--------------------|------------|
| 23005 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 100.00 % | 722 | 16.14 % |
| Mona FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 41007 | Structure Fires (110 - 123) | 5 | 29.41 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 17.65 % | 722 | 16.14 % |
| Monroe FD | Outside Fires (140 - 173) | 9 | 52.94 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 17 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------|-----------------------------|------------|------------|-------------|------------|
| 29002 | Structure Fires (110 - 123) | 2 | 11.76 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 17.65 % | 722 | 16.14 % |
| Morgan County FD | Outside Fires (140 - 173) | 12 | 70.59 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 17 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------|-----------------------------|------------|------------|-------------|------------|
| 39010 | Structure Fires (110 - 123) | 3 | 23.08 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 15.38 % | 722 | 16.14 % |
| Mount Pleasant FD | Outside Fires (140 - 173) | 8 | 61.54 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 13 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------------|-----------------------------|------------|------------|-------------|------------|
| 35003 | Structure Fires (110 - 123) | 30 | 26.55 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 27 | 23.89 % | 722 | 16.14 % |
| Murray City Fire Department | Outside Fires (140 - 173) | 49 | 43.36 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 7 | 6.19 % | 285 | 6.37 % |
| | Total Fires | 113 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 47007 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Naples FD | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 50.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 23006 | Structure Fires (110 - 123) | 4 | 40.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 20.00 % | 722 | 16.14 % |
| Nephi FD | Outside Fires (140 - 173) | 4 | 40.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 10 | 100.00 % | 4,472 | 100.00 % |






^{○ 14 -} Natural vegetation fire ○ 16 - Special outside fire ○ 17 - Cultivated vegetation, crop fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 21007 | Structure Fires (110 - 123) | 1 | 25.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Newcastle FD | Outside Fires (140 - 173) | 2 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 25.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 05011 | Structure Fires (110 - 123) | 2 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Newton FD | Outside Fires (140 - 173) | 2 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 11003 | Structure Fires (110 - 123) | 15 | 23.44 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 12 | 18.75 % | 722 | 16.14 % |
| North Davis FD | Outside Fires (140 - 173) | 34 | 53.12 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 4.69 % | 285 | 6.37 % |
| | Total Fires | 64 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------------------|-----------------------------|------------|------------|-------------|------------|
| 49020 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 100.00 % | 722 | 16.14 % |
| North Fork Fire Department | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 05013 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| North Logan FD | Outside Fires (140 - 173) | 3 | 60.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 40.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------|-----------------------------|------------|------------|-------------|------------|
| 43001 | Structure Fires (110 - 123) | 3 | 33.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 22.22 % | 722 | 16.14 % |
| North Summit FD | Outside Fires (140 - 173) | 1 | 11.11 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 33.33 % | 285 | 6.37 % |
| | Total Fires | 9 | 100.00 % | 4.472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------------------|-----------------------------|------------|------------|-------------|------------|
| 45011 | Structure Fires (110 - 123) | 6 | 7.89 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 16 | 21.05 % | 722 | 16.14 % |
| North Tooele County Fire Dept | Outside Fires (140 - 173) | 52 | 68.42 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 2.63 % | 285 | 6.37 % |
| | Total Fires | 76 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 57004 | Structure Fires (110 - 123) | 13 | 35.14 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 6 | 16.22 % | 722 | 16.14 % |
| North View FD | Outside Fires (140 - 173) | 17 | 45.95 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 2.70 % | 285 | 6.37 % |
| | Total Fires | 37 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 27010 | Structure Fires (110 - 123) | 1 | 14.29 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Oak City FD | Outside Fires (140 - 173) | 6 | 85.71 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 7 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 57005 | Structure Fires (110 - 123) | 98 | 45.16 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 20 | 9.22 % | 722 | 16.14 % |
| Ogden FD | Outside Fires (140 - 173) | 97 | 44.70 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 0.92 % | 285 | 6.37 % |
| | Total Fires | 217 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------------|-----------------------------|------------|------------|-------------|------------|
| 49010 | Structure Fires (110 - 123) | 66 | 39.05 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 33 | 19.53 % | 722 | 16.14 % |
| Orem Fire Department | Outside Fires (140 - 173) | 52 | 30.77 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 18 | 10.65 % | 285 | 6.37 % |
| | Total Fires | 169 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 17009 | Structure Fires (110 - 123) | 5 | 100.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Panguitch FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|--------------------|------------|
| 05014 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Paradise FD | Outside Fires (140 - 173) | 2 | 66.67 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 33.33 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 21006 | Structure Fires (110 - 123) | 5 | 19.23 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 10 | 38.46 % | 722 | 16.14 % |
| Parowan FD | Outside Fires (140 - 173) | 9 | 34.62 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 7.69 % | 285 | 6.37 % |
| | Total Fires | 26 | 100.00 % | 4,472 | 100.00 % |



^{● 10 -} Fire, other ● 11 - Structure Fire ● 13 - Mobile property (vehicle) fire ○ 14 - Natural vegetation fire ○ 15 - Outside rubbish fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 57007 | Structure Fires (110 - 123) | 3 | 23.08 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Plain City FD | Outside Fires (140 - 173) | 7 | 53.85 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 23.08 % | 285 | 6.37 % |
| | Total Fires | 13 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------------------------|-----------------------------|------------|------------|-------------|------------|
| 49012 | Structure Fires (110 - 123) | 11 | 23.91 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 7 | 15.22 % | 722 | 16.14 % |
| Pleasant Grove Fire Department | Outside Fires (140 - 173) | 25 | 54.35 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 6.52 % | 285 | 6.37 % |
| | Total Fires | 46 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 03013 | Structure Fires (110 - 123) | 1 | 100.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Plymouth FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------|-----------------------------|------------|------------|-------------|------------|
| 03014 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Portage Fire & Rescue | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 07005 | Structure Fires (110 - 123) | 15 | 39.47 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 5.26 % | 722 | 16.14 % |
| Price FD | Outside Fires (140 - 173) | 17 | 44.74 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 4 | 10.53 % | 285 | 6.37 % |
| | Total Fires | 38 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------|-----------------------------|------------|------------|-------------|------------|
| 49013 | Structure Fires (110 - 123) | 81 | 47.09 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 24 | 13.95 % | 722 | 16.14 % |
| Provo Fire Department | Outside Fires (140 - 173) | 49 | 28.49 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 18 | 10.47 % | 285 | 6.37 % |
| | Total Fires | 172 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 41009 | Structure Fires (110 - 123) | 19 | 43.18 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 8 | 18.18 % | 722 | 16.14 % |
| Richfield FD | Outside Fires (140 - 173) | 15 | 34.09 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 4.55 % | 285 | 6.37 % |
| | Total Fires | 44 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 05016 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Richmond FD | Outside Fires (140 - 173) | 4 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 23007 | Structure Fires (110 - 123) | 1 | 20.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 40.00 % | 722 | 16.14 % |
| Rocky Ridge FD | Outside Fires (140 - 173) | 2 | 40.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 13005 | Structure Fires (110 - 123) | 21 | 48.84 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 6 | 13.95 % | 722 | 16.14 % |
| Roosevelt FD | Outside Fires (140 - 173) | 13 | 30.23 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 6.98 % | 285 | 6.37 % |
| | Total Fires | 43 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------------|-----------------------------|------------|------------|-------------|------------|
| 57010 | Structure Fires (110 - 123) | 32 | 41.56 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 5 | 6.49 % | 722 | 16.14 % |
| Roy City Fire & Rescue | Outside Fires (140 - 173) | 31 | 40.26 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 9 | 11.69 % | 285 | 6.37 % |
| | Total Fires | 77 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------|-----------------------------|------------|------------|-------------|------------|
| 49014 | Structure Fires (110 - 123) | 6 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Salem Station 1 | Outside Fires (140 - 173) | 4 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 16.67 % | 285 | 6.37 % |
| | Total Fires | 12 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 41010 | Structure Fires (110 - 123) | 1 | 100.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Salina FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------|-----------------------------|------------|------------|-------------|------------|
| 35005 | Structure Fires (110 - 123) | 124 | 28.51 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 95 | 21.84 % | 722 | 16.14 % |
| Salt Lake City FD | Outside Fires (140 - 173) | 191 | 43.91 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 25 | 5.75 % | 285 | 6.37 % |
| | Total Fires | 435 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 35007 | Structure Fires (110 - 123) | 35 | 38.46 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 12 | 13.19 % | 722 | 16.14 % |
| Sandy FD | Outside Fires (140 - 173) | 42 | 46.15 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 2.20 % | 285 | 6.37 % |
| | Total Fires | 91 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------------|-----------------------------|------------|------------|-------------|------------|
| 53009 | Structure Fires (110 - 123) | 3 | 17.65 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Santa Clara Fire Department | Outside Fires (140 - 173) | 14 | 82.35 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 17 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------|-----------------------------|------------|------------|-------------|------------|
| 49025 | Structure Fires (110 - 123) | 7 | 31.82 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 9.09 % | 722 | 16.14 % |
| Saratoga Springs | Outside Fires (140 - 173) | 13 | 59.09 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 22 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 27011 | Structure Fires (110 - 123) | 1 | 7.14 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 4 | 28.57 % | 722 | 16.14 % |
| Scipio FD | Outside Fires (140 - 173) | 9 | 64.29 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 14 | 100.00 % | 4,472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------|-----------------------------|------------|------------|-------------|------------|
| 51016 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 50.00 % | 722 | 16.14 % |
| Soldier Creek FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-------------------|-----------------------------|------------|------------|-------------|------------|
| 11020 | Structure Fires (110 - 123) | 30 | 30.30 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 22 | 22.22 % | 722 | 16.14 % |
| South Davis Metro | Outside Fires (140 - 173) | 47 | 47.47 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 99 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------|-----------------------------|------------|------------|-------------|------------|
| 35008 | Structure Fires (110 - 123) | 12 | 21.05 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 12 | 21.05 % | 722 | 16.14 % |
| South Jordan FD | Outside Fires (140 - 173) | 27 | 47.37 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 6 | 10.53 % | 285 | 6.37 % |
| | Total Fires | 57 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

Report Period: From 01/01/2011 to 12/31/2011


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------|-----------------------------|------------|------------|-------------|------------|
| 35009 | Structure Fires (110 - 123) | 12 | 20.34 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 22 | 37.29 % | 722 | 16.14 % |
| South SLCity FD | Outside Fires (140 - 173) | 20 | 33.90 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 5 | 8.47 % | 285 | 6.37 % |
| | Total Fires | 59 | 100.00 % | 4,472 | 100.00 % |



10 - Fire, other 11 - Structure Fire 12 - Fire in mobile property used as a fixed structure 13 - Mobile property (vehicle) fire
14 - Natural vegetation fire 15 - Outside rubbish fire 16 - Special outside fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------|-----------------------------|------------|------------|-------------|------------|
| 43007 | Structure Fires (110 - 123) | 11 | 52.38 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| South Summit FD | Outside Fires (140 - 173) | 10 | 47.62 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 21 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 11019 | Structure Fires (110 - 123) | 4 | 25.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 12.50 % | 722 | 16.14 % |
| South Weber FD | Outside Fires (140 - 173) | 10 | 62.50 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 16 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------------------|-----------------------------|------------|------------|-------------|------------|
| 49017 | Structure Fires (110 - 123) | 14 | 23.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 8 | 13.33 % | 722 | 16.14 % |
| Spanish Fork Fire Department | Outside Fires (140 - 173) | 33 | 55.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 5 | 8.33 % | 285 | 6.37 % |
| | Total Fires | 60 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 39012 | Structure Fires (110 - 123) | 1 | 20.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Spring City FD | Outside Fires (140 - 173) | 4 | 80.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 5 | 100.00 % | 4,472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------------|-----------------------------|------------|------------|-------------|------------|
| 49018 | Structure Fires (110 - 123) | 10 | 23.26 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 12 | 27.91 % | 722 | 16.14 % |
| Springville Fire Department | Outside Fires (140 - 173) | 5 | 11.63 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 16 | 37.21 % | 285 | 6.37 % |
| | Total Fires | 43 | 100.00 % | 4.472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------------------|-----------------------------|------------|------------|-------------|------------|
| 45005 | Structure Fires (110 - 123) | 4 | 33.33 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 8.33 % | 722 | 16.14 % |
| Stockton Fire Department | Outside Fires (140 - 173) | 7 | 58.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 12 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 11014 | Structure Fires (110 - 123) | 9 | 64.29 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 14.29 % | 722 | 16.14 % |
| Sunset FD | Outside Fires (140 - 173) | 3 | 21.43 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 14 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 11015 | Structure Fires (110 - 123) | 5 | 21.74 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 8.70 % | 722 | 16.14 % |
| Syracuse FD | Outside Fires (140 - 173) | 14 | 60.87 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 8.70 % | 285 | 6.37 % |
| | Total Fires | 23 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------|-----------------------------|------------|------------|-------------|------------|
| 13006 | Structure Fires (110 - 123) | 2 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Tabiona Hanna FD | Outside Fires (140 - 173) | 2 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------|-----------------------------|------------|------------|-------------|------------|
| 45015 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 12.50 % | 722 | 16.14 % |
| Terra Fire Department | Outside Fires (140 - 173) | 11 | 68.75 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 3 | 18.75 % | 285 | 6.37 % |
| | Total Fires | 16 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|----------------|-----------------------------|------------|------------|-------------|------------|
| 51013 | Structure Fires (110 - 123) | 1 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Timberlakes FD | Outside Fires (140 - 173) | 1 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------------|-----------------------------|------------|------------|-------------|------------|
| 45006 | Structure Fires (110 - 123) | 49 | 43.75 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 15 | 13.39 % | 722 | 16.14 % |
| Tooele City Fire Department | Outside Fires (140 - 173) | 44 | 39.29 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 4 | 3.57 % | 285 | 6.37 % |
| | Total Fires | 112 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 03017 | Structure Fires (110 - 123) | 9 | 23.68 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 10 | 26.32 % | 722 | 16.14 % |
| Tremonton FD | Outside Fires (140 - 173) | 19 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 38 | 100.00 % | 4,472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 57012 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 2 | 25.00 % | 722 | 16.14 % |
| Uintah FD | Outside Fires (140 - 173) | 5 | 62.50 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 12.50 % | 285 | 6.37 % |
| | Total Fires | 8 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------------|-----------------------------|------------|------------|-------------|------------|
| 35006 | Structure Fires (110 - 123) | 169 | 30.34 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 101 | 18.13 % | 722 | 16.14 % |
| Unified Fire Authority | Outside Fires (140 - 173) | 239 | 42.91 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 48 | 8.62 % | 285 | 6.37 % |
| | Total Fires | 557 | 100.00 % | 4,472 | 100.00 % |





^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 47004 | Structure Fires (110 - 123) | 20 | 47.62 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 8 | 19.05 % | 722 | 16.14 % |
| Vernal FD | Outside Fires (140 - 173) | 14 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 42 | 100.00 % | 4.472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 39014 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Wales FD | Outside Fires (140 - 173) | 1 | 100.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 51005 | Structure Fires (110 - 123) | 2 | 50.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Wallsburg FD | Outside Fires (140 - 173) | 1 | 25.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 25.00 % | 285 | 6.37 % |
| | Total Fires | 4 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|-----------------------|-----------------------------|------------|------------|-------------|------------|
| 57013 | Structure Fires (110 - 123) | 11 | 61.11 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 1 | 5.56 % | 722 | 16.14 % |
| Washington Terrace FD | Outside Fires (140 - 173) | 6 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 18 | 100.00 % | 4.472 | 100.00 % |






^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 07008 | Structure Fires (110 - 123) | 2 | 66.67 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Wellington FD | Outside Fires (140 - 173) | 1 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |




^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------|-----------------------------|------------|------------|-------------|------------|
| 05020 | Structure Fires (110 - 123) | 0 | 0.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Wellsville FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 2 | 100.00 % | 285 | 6.37 % |
| | Total Fires | 2 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------------------|-----------------------------|------------|------------|-------------|------------|
| 45010 | Structure Fires (110 - 123) | 2 | 20.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 3 | 30.00 % | 722 | 16.14 % |
| Wendover Fire Department | Outside Fires (140 - 173) | 5 | 50.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 10 | 100.00 % | 4,472 | 100.00 % |






^{○ 14 -} Natural vegetation fire ○ 15 - Outside rubbish fire


^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|------------------------|-----------------------------|------------|------------|-------------|------------|
| 35010 | Structure Fires (110 - 123) | 2 | 66.67 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| West Jordan Station 53 | Outside Fires (140 - 173) | 1 | 33.33 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 3 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).


| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|---------------------|-----------------------------|------------|------------|-------------|------------|
| 35014 | Structure Fires (110 - 123) | 77 | 34.07 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 37 | 16.37 % | 722 | 16.14 % |
| West Valley City FD | Outside Fires (140 - 173) | 111 | 49.12 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 1 | 0.44 % | 285 | 6.37 % |
| | Total Fires | 226 | 100.00 % | 4,472 | 100.00 % |





^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).

| FDID/FD Name | Fire Incident Type | # of Fires | % of Fires | Group Fires | % of Group |
|--------------|-----------------------------|------------|------------|-------------|------------|
| 33006 | Structure Fires (110 - 123) | 1 | 100.00 % | 1,449 | 32.40 % |
| | Vehicle Fires (130 - 138) | 0 | 0.00 % | 722 | 16.14 % |
| Woodruff FD | Outside Fires (140 - 173) | 0 | 0.00 % | 2,016 | 45.08 % |
| | All Other Fires (100) | 0 | 0.00 % | 285 | 6.37 % |
| | Total Fires | 1 | 100.00 % | 4.472 | 100.00 % |



^{*} Legend shows Incident Type followed by Description (description shortened to 25 characters).