



# STUDENT HEALTH AND RISK PREVENTION

2023

## SHARP Survey (Prevention Needs Assessment) Results for Weber And Morgan Counties LSAA

---

State of Utah  
Department of Health & Human Services  
Office of Substance Use and Mental Health



Utah Department of  
**Health & Human**  
Services

# TABLE OF CONTENTS

Acknowledgments	3
Introduction	4
Understanding the Charts	5
Substance Use	9
Substance Use	10
Antisocial Behavior	18
Community and School Climate and Safety	19
Social and Emotional Health	24
Physical Health and Safety	38
The Risk and Protective Factor Model of Prevention	42
Risk and Protective Factors	44
School and Community Improvement Using Survey Data	56
Building a Strategic Prevention Framework	57
Appendix A: Changes between PNA administrations	59
Appendix B: Substance Use and Perceived Parental Acceptability	61
Appendix C: Drug Free Communities Data	62
Appendix D: Contacts for Prevention	63
Appendix E: Risk and Protective Scale Definitions	67
Appendix F: Item Dictionary	70

# ACKNOWLEDGMENTS

Coordination and administration of the Utah SHARP/PNA Survey was a collaborative effort of the State of Utah, Department of Health and Human Services; and Bach Harrison, LLC. For more information about the SHARP/PNA or prevention services in Utah, please refer to Appendix D: Contacts for Prevention.

# INTRODUCTION

## 2023 Weber And Morgan Counties LSAA Prevention Needs Assessment Survey Report

In Spring 2023, the Utah Department of Health and Human Services (DHHS) conducted the School Health and Risk Prevention (SHARP) survey project in public schools throughout Utah. This project included the Prevention Needs Assessment (PNA), the results of which are presented in this report. The PNA surveyed students in grades 6, 8, 10, and 12 on substance abuse, mental health, chronic conditions, healthy lifestyles, violence and injury, social determinants of health, and risk and protective factors. The survey was administered by a monitored web survey or a self-administered paper/pencil questionnaire. Across the State,

35 school districts, 13 charter schools, and 1 private school participated in SHARP/PNA.

Results across seven categories are presented in this SHARP/PNA report: substance use, antisocial behavior, community and school climate and safety, social and emotional health, substance-related indicators, physical health and safety, and risk and protective factors.

Please see the Characteristics of Participants table below for participation information, and note that because not all students answer all of the questions, the total number of survey respondents by gender and survey respondents by ethnicity may be less than the reported total students.

### Characteristics of participants

	LSAA 2019		LSAA 2021		LSAA 2023		State 2023	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>What grade are you in?</b>								
6	2,301	31.7	2,540	35.6	1,592	34.7	17,512	33.7
8	2,370	32.6	2,434	34.1	1,553	33.9	16,525	31.8
10	1,799	24.8	1,481	20.8	1,042	22.7	11,997	23.1
12	793	10.9	676	9.5	396	8.6	5,856	11.3
All grades	7,263	100.0	7,131	100.0	4,583	100.0	51,890	100.0
<b>Are you:</b>								
Male	3,408	47.2	3,503	49.5	2,155	47.6	25,042	48.8
Female	3,751	52.0	3,570	50.5	2,371	52.4	26,299	51.2
<b>Which of the following best describe you?*</b>								
Heterosexual (straight)	4,147	88.5	3,639	80.6	2,409	82.0	25,157	81.3
Gay or lesbian	74	1.6	104	2.3	76	2.6	811	2.6
Bisexual	256	5.5	412	9.1	240	8.2	2,526	8.2
Not sure/Other	207	4.4	359	8.0	214	7.3	2,449	7.9
<b>What is your race? (Select one or more)†</b>								
African American	100	1.4	114	1.6	60	1.3	775	1.5
American Indian	105	1.5	103	1.5	53	1.2	619	1.2
Asian	70	1.0	73	1.0	35	0.8	831	1.6
Hispanic or Latino	1,302	18.1	1,557	22.2	650	14.6	8,290	16.3
Pacific Islander	45	0.6	49	0.7	16	0.4	616	1.2
White	5,217	72.5	4,764	68.0	3,390	76.2	36,752	72.4
Multi-racial	354	4.9	348	5.0	246	5.5	2,869	5.7

\* A question about sexual orientation was added to the 2019 survey instrument used by 8th, 10th, and 12th graders. (6th grade surveys omitted this question.) If any response category has fewer than 10 respondents, all question data are suppressed to protect student privacy.

† To accurately represent Hispanic/Latino participation in the SHARP survey, students indicating they are of Hispanic or Latino ethnicity and up to one race are reported as Hispanic or Latino. Students reporting more than one race are reported as multi-racial (regardless of ethnicity).

10/10/2023: We have removed 44 surveys from students on the Navajo Nation that were included in the first version of this report. This data is property of the Navajo Nation and we apologize for not catching the error sooner. This has an incredibly minimal impact on the data trends for the state and regions.

# UNDERSTANDING THE CHARTS

There are seven types of charts presented in this report:

1. Substance use
2. Antisocial behavior
3. Community and school climate and safety
4. Social and emotional health
5. Substance-related indicators
6. Physical health and safety
7. Risk factor profiles
8. Protective factor profiles

Data from the charts are presented in tables directly below them. Additional data useful for prevention planning are found in Appendices B and C. Note that data reported in the tables are rounded to one decimal place. (Rates of 0% to 0.049% are displayed as 0.0%.)

## Understanding the Format of the Charts

There are several graphical elements common to all the charts. Understanding the format of the charts and what these elements represent is essential in interpreting the results of the 2023 SHARP survey.

**The bars** found in most of the charts, for example, on substance use and antisocial behavior charts, represent the percentage of students in that grade who reported a given behavior. The bars on the risk and protective factor charts represent the percentage of students whose answers reflect significant risk or protection in that category.

Each set of differently colored bars represents one of the last three administrations of the SHARP (PNA): 2019, 2021, and 2023. By looking at the percentages over time, it is possible to identify trends in substance use and antisocial behavior. By studying the percentage of youth at risk and with protection over time, it is possible to determine whether the percentage of students at risk or with protection is increasing, decreasing, or staying the same. This information is important when deciding which risk and protective factors warrant attention.

**Dots, Diamonds, Triangles, and Xs** provide points of comparison to larger samples. The dots on the charts represent the

percentage of all of the youth surveyed across Utah who reported substance use, problem behavior, elevated risk, or elevated protection. The diamonds and stars represent national data from the Monitoring the Future (MTF) Survey and the Bach Harrison Norm, respectively.

**The dots** represent state-level data for the current year. For the 2023 SHARP (PNA) Survey, there were 51,934 participants in grades 6, 8, 10, and 12. Data were cleaned and weighted by school, grade, and gender to ensure that the data reported at all levels accurately represent the population of Utah. The survey results provide considerable information for communities to use in planning prevention services.

A comparison to state-wide and national results provides additional information for your community in determining the relative importance of levels of Alcohol, Tobacco, and Other Drugs (ATOD) use, antisocial behavior, risk, and protection. Information about other students in the state and the nation can be helpful in determining the seriousness of a given level of problem behavior.

Note that while the national data are visually represented on the charts, they may be omitted from the tables due to limitations on available space in the new SHARP (PNA) report format.

**The diamonds** represent national data from the Monitoring the Future (MTF) survey, a long-term epidemiological study that surveys trends in drug and alcohol use among American adolescents. Funded by research grants from the National Institute on Drug Abuse, it features nationally representative samples of 8th-, 10th-, and 12th-grade students. (MTF is not administered to 6th graders and as such 6th grade data cannot be represented on the charts.)

**The triangles** represent national data from the Bach Harrison Norm (BH Norm). Bach Harrison Norm was developed by Bach Harrison LLC to provide states and communities with the ability to compare their results on risk, protection, and antisocial measures with more national measures. Survey participants from 11 statewide surveys were combined into a database of approximately 657,000 students in grades 6, 8, 10, and 12. The results were weighted to make the contribution of each state proportional to its share of the national population. Bach Harrison analysts then calculated rates for antisocial behavior and for students at risk and with protection. The results appear on the charts as the BH Norm. In order to keep the Bach Harrison Norm

relevant, it is updated approximately every 2 years as new data become available. An update of the BH Norm was delayed due to the COVID-19 pandemic. Data users can expect to see a revised BH Norm update for the 2025 survey. The last BH Norm update was completed in 2018.

Scanning across the charts, it is important to observe the factors that differ the most from the Bach Harrison Norm. This is the first step in identifying the levels of risk and protection that are higher or lower than those in other communities. The risk factors that are higher than the Bach Harrison Norm and the protective factors that are lower than the Bach Harrison Norm are factors your community should consider addressing when planning prevention programs.

**The Xs** represent national mental health data gathered by the Youth Risk Behavior Survey (YRBS). National comparison points are available for grades 10 and 12 on the topic of suicide and depression.

## Substance Use

There are two types of use measured on the drug use charts.

**State Identified Priority Substance Use** measures lifetime and 30-day use rates for alcohol, marijuana, tobacco (including e-cigarettes), prescription narcotics, and overall prescription drug abuse.

**Other Substance Use** measures lifetime and 30-day use rates for a variety of illicit drugs, including cocaine, heroin, and methamphetamine.

**Risky Substance Use-Related Behavior** is measured in several different ways: binge drinking (having five or more drinks in a row during the two weeks prior to the survey), use of one-half a pack or more of cigarettes per day, and youth indicating drinking alcohol and driving or reporting riding with a driver who had been drinking alcohol during the past 30 days.

**Substance Use Treatment Needs** are estimates of youth in need of alcohol and drug treatment as well as an estimate of students that need either alcohol OR drug treatment.

The need for substance use treatment is defined as students who report using alcohol on 10 or more occasions in their lifetime or any drugs in their lifetime and marked at least three of the

following items specific to their drug or alcohol use in the past year:

- *Spent more time using than intended*
- *Neglected some of your usual responsibilities because of use*
- *Wanted to cut down on use*
- *Others objected to your use*
- *Frequently thought about using*
- *Used alcohol or drugs to relieve feelings such as sadness, anger, or boredom*

Students could mark whether these items related to their drug use and/or their alcohol use.

## Antisocial Behavior

**Antisocial Behavior (ASB)** profiles show the percentage of youth who reported antisocial behaviors during the past year, including suspension from school, selling illegal drugs, and attacking another person with the intention of doing them serious harm.

## Community and School Climate and Safety

These charts present data related to perceived importance of school, positive school environment, student concerns about their school environment, perceived school safety, and bullying. The section also includes data for perceived reasons of bullying, with data being presented of students reporting being bullied in the past year (a subset of the total survey sample).

## Social and Emotional Health

The social and emotional health data show the percentage of youth with depression and mental health treatment needs, student responses to questions about suicide and self-harm, student responses to questions about social isolation, and questions about student attitudes toward the acceptability of seeking mental health treatment and their willingness to do so.

**Needs Mental Health Treatment** was estimated using the K6 Scale that was developed with support from the National Center for Health Statistics for use in the National Health Interview Survey. The tool screens for psychological distress by asking students

*During the past 30 days, how often did you:*

- *feel nervous?*
- *feel hopeless?*
- *feel restless or fidgety?*
- *feel so depressed that nothing could cheer you up?*
- *feel that everything was an effort?*
- *feel worthless?*

Answers to each were scored based on responses: None of the time (0 points), A little of the time (1 point), Some of the time (2 points), Most of the time (3 points), All of the time (4 points). Students with a total score of 13 or more points were determined to have high mental health treatment needs. Table 6 also shows the percentage of students with moderate (scoring 7-12 points) and low (scoring 0-6 points) mental health treatment needs.

**Depression-Related Indicators** are divided into two sections. The first asks about depression in the past year:

*During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?*

A second part, the depressive symptoms scale, is also reported. This part is calculated from student responses to the following statements:

- *Sometimes I think that life is not worth it.*
- *At times I think I am no good at all.*
- *All in all, I am inclined to think that I am a failure.*
- *In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?*

These four depressive symptoms questions were scored on a scale of 1 to 4 (NO!, no, yes, YES!). The survey respondents were divided into three groups. The first group was the High Depressive Symptoms group who scored at least a mean of 3.75 on the depressive symptoms. This meant that those individuals marked *Definitely Yes* to all four items or marked *Somewhat Yes* to one item and *Definitely Yes* to three. The second group was the No Depressive Symptoms group who marked *Definitely No* to all four of the items, and the third group was a middle group who comprised the remaining respondents.

**Suicide Related Indicators** are based on a series of questions about suicide. These questions provide information about suicidal ideation and attempts of suicide (e.g., “During the past 12 months, did you ever seriously consider attempting suicide?” and “During the past 12 months, how many times did you actually attempt suicide?”).

**Self-Harm** question (introduced in 2015) asks about self-destructive behavior other than suicide. Students are considered to have engaged in self-harm if they responded they had done “*something to purposefully hurt yourself without wanting to die, such as cutting or burning yourself on purpose*” one or more times during the past 12 months.

**Attitudes Toward Mental Health Treatment** are explored in a series of questions introduced in the 2017 SHARP survey. How often they talked to an adult about “*feeling very sad, hopeless, or suicidal,*” and if so, who they talked with. The final question in this section explores student attitudes toward seeking professional mental health treatment when they are feeling this way.

## Substance-Related Behaviors

The charts in this section explore additional data related to substance use. The charts present data regarding student perceptions of parental disapproval, student attitudes toward peer use, and student perceptions of how harmful substance use is. Further, the charts explore student places of alcohol use (data are presented of past-year alcohol users), as well as student sources of obtaining e-cigarette/vaping devices and places of e-cigarette/vape device use (of students who have vaped in the past year).

## Physical Health and Safety

This section focuses on student physical health and safety. Charts display the percent of students reporting safe vehicle habits and positive habits related to physical health and activity. New screen time and device use data are also reported in this section.

## Risk and Protective Factors

Risk and protective factor scales measure specific aspects of a youth’s life experience that predict whether he/she will engage in problem behaviors. The scales, defined in Table 2, are grouped into four domains: community, family, school, and peer/

individual. The risk and protective factor charts show the percentage of students at risk and with protection for each of the scales.

**Risk Factor Charts** show the percentage of youth who are considered “higher risk” across a variety of risk factor scales.

**Protective Factor Charts** show the percentage of youth who are considered high in protection across a variety of protective factor scales.

### Additional Tables in this Report

Appendices B and C contain additional data for prevention planning and reporting to state and federal agencies.

### Perceived Parental Approval and ATOD Use

Appendix B explores the relationship between perceived parental approval and ATOD use. A full explanation of how to interpret these data is available accompanying the tables.

### Drug Free Communities

Appendix C contains information relevant to Drug Free Community (DFC) grantees. This table reports the four DFC Core Measures on alcohol, tobacco, marijuana and prescription drugs:

**Perception of Risk** - The percentage of respondents who report that regular use of the substance has *moderate risk* or *great risk*.


**Perception of Parental Disapproval** - The percentage of respondents who report their parents would feel regular use of alcohol or any use of cigarettes, e-cigarettes, marijuana, or the misuse of prescription drugs is *wrong* or *very wrong*.

**Perception of Peer Disapproval** - The percentage of respondents who report their friends would feel regular use of alcohol or any use of cigarettes, marijuana, or misuse of prescription drugs is *wrong* or *very wrong*.

**Past 30-Day Use** - The percentage surveyed reporting using the substance at least once in the past 30 days.




# State-identified priority substance use - Alcohol, marijuana, and prescription drugs Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



\* Since not all students answer all questions, the percentage of students reporting use in the past 30 days may be greater than the percentage reporting lifetime use.  
 \*\* National comparison data are available for 8th, 10th, and 12th grade only. Monitoring the Future does not survey 6th graders.  
 † "Prescription drug abuse" is a combined measure showing the total rate of abuse of any prescription stimulant, prescription sedative, prescription tranquilizer, or prescription narcotic drugs.

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023 ◆ MTF\*\*

# How marijuana was used (of past-month marijuana users)\* Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




During the past 30 days, how did you use marijuana?\*(Mark ALL that apply.)

Grade	I smoked it		I ate it (in an edible, candy, tincture or other food)		I used a vaporizer		I dabbled it		I used it in some other way	
	LSAA 2023	State 2023	LSAA 2023	State 2023	LSAA 2023	State 2023	LSAA 2023	State 2023	LSAA 2023	State 2023
10th	91.0	77.7	30.6	28.8	50.4	40.8	24.7	25.2	15.8	6.1
12th	41.2	64.6	0.0	19.0	63.9	52.6	2.7	15.4	0.0	2.3
All	52.9	68.3	7.2	21.7	60.7	48.7	7.9	20.3	3.7	5.6

\* These data represent youth who had used marijuana in the past month and chose at least one source of consuming it. If this represents fewer than ten students, the sample is considered too small to produce reliable results and the data are removed. If no data are available, state data are displayed instead. The 2023 sample sizes represented in these data are 6th grade: <10 students (State: <10); 8th grade: <10 students (State: 35); 10th grade: 20 students (State: 85); 12th grade: 13 students (State: 76); all grades combined: 33 students (State: 198).

LSAA 2023 State 2023

# State-identified priority substance use - Prescription drugs Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




\* Since not all students answer all questions, the percentage of students reporting use in the past 30 days may be greater than the percentage reporting lifetime use.

\*\* National comparison data are available for 8th, 10th, and 12th grade only. Monitoring the Future does not survey 6th graders.

LSAA 2019 LSAA 2021 LSAA 2023 State 2023 MTF\*\*

# State-identified priority substance use - Cigarettes and vaping products Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



\* Since not all students answer all questions, the percentage of students reporting use in the past 30 days may be greater than the percentage reporting lifetime use.


\*\* National comparison data are available for 8th, 10th, and 12th grade only. Monitoring the Future does not survey 6th graders.

\*\*\* In 2019 and 2021, lifetime and 30-day vaping use questions were about general vape device use. In 2023, the survey was revised to ask about vaping nicotine and vaping marijuana separately. The 2023 vaping data presented here are for any vaped nicotine OR vaped marijuana.

LSAA 2019 LSAA 2021 LSAA 2023 State 2023 MTF\*\*

# State-identified priority substance use - Other tobacco products

## Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




\* Since not all students answer all questions, the percentage of students reporting use in the past 30 days may be greater than the percentage reporting lifetime use.

\*\* National comparison data are available for 8th, 10th, and 12th grade only. Monitoring the Future does not survey 6th graders.

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023 ◆ MTF\*\*

# Other drugs - Cocaine, methamphetamine, heroin Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




\* Since not all students answer all questions, the percentage of students reporting use in the past 30 days may be greater than the percentage reporting lifetime use.

\*\* National comparison data are available for 8th, 10th, and 12th grade only. Monitoring the Future does not survey 6th graders.

LSAA 2019 LSAA 2021 LSAA 2023 State 2023 MTF\*\*

# Other drugs - Inhalants, hallucinogens, steroids, synthetics Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




\* Since not all students answer all questions, the percentage of students reporting use in the past 30 days may be greater than the percentage reporting lifetime use.

\*\* National comparison data are available for 8th, 10th, and 12th grade only. Monitoring the Future does not survey 6th graders.

LSAA 2019 LSAA 2021 LSAA 2023 State 2023 MTF\*\*

# Risky substance use-related behavior Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Grade	Binge drinking*				1/2 pack of cigarettes/day				Drinking and driving			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	2.2	1.8	0.2	0.8	0.2	0.0	0.0	0.0	1.0	~	~	~
8th	4.8	2.4	0.7	1.6	0.0	0.0	0.0	0.1	0.9	0.7	0.3	0.5
10th	5.8	3.6	2.0	2.0	0.1	0.0	0.0	0.1	1.4	1.3	0.1	1.0
12th	9.9	10.4	2.7	4.1	0.2	0.1	0.0	0.1	2.2	2.1	0.8	1.6
All	5.5	4.7	1.4	2.1	0.1	0.1	0.0	0.1	1.4	1.4	0.4	1.1


\* Since not all students answer all questions, the percentage of students reporting binge drinking may be greater than the percentage reporting 30-day alcohol use.

\*\* National comparison data are available for 8th, 10th, and 12th grade only. Monitoring the Future does not survey 6th graders.

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023 ▲ BH Norm ◆ MTF\*\*




# Substance treatment needs Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Grade	Needs alcohol treatment				Needs drug treatment				Needs alcohol or drug treatment			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	0.0	0.1	0.0	0.1	0.5	0.2	0.3	0.4	0.5	0.3	0.3	0.4
8th	0.8	0.8	0.4	0.5	3.3	3.3	1.5	2.2	3.7	3.4	1.6	2.4
10th	1.8	2.1	1.3	0.9	7.6	5.0	3.3	2.7	8.0	5.8	3.9	3.1
12th	4.3	1.9	2.6	1.4	7.6	7.0	7.6	3.5	10.1	8.3	10.3	4.5
All	1.7	1.3	1.1	0.7	4.6	4.0	3.2	2.2	5.4	4.7	4.0	2.7

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Antisocial behavior Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Antisocial behaviors reported one or more times during the past year

Grade	Suspended from school				Drunk or high at school				Sold illegal drugs				Attacked someone w/idea of seriously hurting them				Carried a handgun				Handgun to school				Stolen a vehicle				Been arrested			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	8.0	4.9	5.9	5.3	1.4	1.3	0.7	0.9	0.3	0.3	0.1	0.2	5.8	6.1	6.9	7.2	8.1	6.0	4.6	6.0	0.2	0.0	0.1	0.2	1.0	0.4	0.2	0.5	1.3	0.6	0.8	0.4
8th	10.5	8.4	9.9	8.1	6.6	5.0	2.6	3.9	2.6	0.9	0.3	1.0	5.4	6.2	5.2	5.8	8.8	7.4	7.6	8.1	0.1	0.2	0.1	0.4	1.1	0.9	0.3	0.7	2.4	1.6	0.7	0.8
10th	9.6	6.2	8.2	5.6	11.6	8.6	6.2	5.6	3.9	2.5	2.0	2.1	4.8	4.0	4.4	4.0	8.2	7.5	10.7	8.2	0.3	0.3	0.0	0.3	1.5	1.4	2.3	1.5	1.9	1.5	2.9	1.0
12th	7.9	5.9	5.9	3.7	13.4	9.8	7.7	5.9	5.2	2.8	2.2	1.9	4.5	4.5	2.4	2.4	9.5	5.8	7.5	7.7	0.1	0.1	1.2	0.3	1.0	0.1	0.6	0.7	2.6	1.0	2.8	1.0
All	9.0	6.4	7.5	5.7	8.1	6.4	4.3	4.1	2.9	1.7	1.1	1.3	5.2	5.1	4.7	4.9	8.7	6.7	7.6	7.5	0.2	0.2	0.4	0.3	1.1	0.7	0.9	0.9	2.0	1.2	1.8	0.8

LSAA 2019 LSAA 2021 LSAA 2023 State 2023 BH Norm

# Perceived importance of school Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Students answering "Often" or "Almost Always"

Students answering "Quite important" or "Very important"

How often do you feel that the school work you are assigned is meaningful and important?


Now, thinking back over the past year in school, how often did you enjoy being in school?

How important do you think the things you are learning in school are going to be for your later life?

Grade	Students answering "Often" or "Almost Always"				Students answering "Quite important" or "Very important"							
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023				
6th	67.5	63.6	61.4	59.1	60.4	56.8	52.3	53.9	75.4	69.1	64.6	62.1
8th	40.1	34.3	30.4	34.9	45.1	44.6	36.4	39.8	57.5	44.1	41.8	44.0
10th	26.2	20.8	20.0	24.6	41.0	35.3	38.7	38.8	44.7	31.0	28.1	34.3
12th	23.4	19.8	27.6	24.6	37.8	36.3	41.9	41.7	38.7	32.2	36.9	33.0
All	40.0	33.4	34.8	35.7	46.4	42.7	42.3	43.5	54.7	43.0	42.9	43.3

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Positive school environment Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Grade	There are lots of chances for students to get involved in sports, clubs, etc				There are lots of chances for students in my school to talk with a teacher one-on-one				I have lots of chances to be part of class discussions or activities				I feel safe at my school				My teachers praise me when I work hard in school			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	72.4	66.2	76.9	80.1	86.0	86.3	87.9	88.0	87.0	85.1	85.4	88.6	89.9	91.7	90.4	88.2	65.2	72.0	69.7	69.1
8th	92.8	92.9	94.7	89.8	85.5	86.0	80.0	83.9	84.7	84.6	82.8	85.7	83.2	86.2	79.4	80.6	53.1	50.5	54.3	56.2
10th	96.3	93.5	96.7	95.6	86.7	85.4	85.3	87.8	89.1	86.5	87.5	89.0	86.5	87.6	80.3	84.2	45.2	44.1	54.7	53.3
12th	94.7	92.7	93.6	94.6	84.7	90.0	90.6	89.5	86.6	88.1	84.8	90.6	85.7	89.2	88.9	86.7	48.0	48.9	58.7	57.0
All	88.7	87.1	90.5	90.1	85.8	87.0	85.9	87.3	86.8	86.2	85.1	88.4	86.4	88.6	84.7	84.9	53.1	53.1	59.3	58.7

LSAA 2019 LSAA 2021 LSAA 2023 State 2023

# Student concerns about school environment

## Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Students who report they are "Somewhat" or "Very worried" about the possibility of the following:

Grade	Getting bullied				Gun violence or active shooter situation				Suicide by a student				Gang activity				Students using alcohol or drugs				Earthquake/fire			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	35.5	33.5	37.5	34.4	45.4	45.0	45.5	46.1	48.8	48.7	46.8	47.2	36.9	36.5	36.3	36.0	44.4	45.4	45.2	45.3	48.8	48.7	46.6	44.7
8th	31.2	26.8	34.8	30.9	44.5	33.7	43.0	41.0	61.8	52.0	53.6	51.0	38.4	33.4	32.9	31.8	54.2	49.7	52.4	51.6	40.9	29.9	32.4	29.3
10th	23.5	22.0	25.5	23.0	41.9	33.0	46.5	39.5	68.8	55.8	53.6	57.2	30.9	25.4	31.2	26.7	55.2	45.9	50.7	53.5	30.5	27.6	27.6	25.5
12th	23.4	22.0	21.1	17.8	41.9	32.4	40.6	39.8	66.7	59.0	49.8	59.7	22.6	23.5	21.5	18.9	51.6	49.6	51.8	48.0	29.7	28.1	21.5	25.2
All	28.6	25.7	29.9	26.6	43.5	35.7	43.9	41.6	61.3	54.1	51.0	53.8	32.5	29.3	30.5	28.5	51.3	47.7	50.0	49.7	37.8	33.0	32.1	31.2

LSAA 2019 LSAA 2021 LSAA 2023 State 2023


# Perceived school safety Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Grade	Playgrounds or fields				Lunchroom/cafeteria				Classrooms				Bathrooms				Parking lots				Stairs and hallways				The school bus			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	11.3	8.9	12.6	11.1	4.4	5.5	6.4	8.3	4.6	5.3	6.0	6.1	20.3	18.9	18.2	24.9	30.5	30.3	31.2	31.0	9.5	11.0	12.4	14.7	19.2	18.4	17.8	20.4
8th	11.5	11.5	15.1	12.7	9.5	9.6	17.5	14.6	6.8	6.3	11.0	8.1	20.4	27.4	40.1	36.6	24.6	23.7	29.9	27.3	14.9	14.8	22.7	19.2	13.5	15.8	18.3	19.4
10th	7.0	9.5	11.1	9.1	7.1	8.4	12.1	11.1	4.4	4.4	7.1	6.3	16.2	20.7	31.4	32.2	23.2	24.4	29.9	29.2	9.9	9.9	14.0	12.4	10.7	13.4	10.9	14.6
12th	9.4	7.0	9.1	9.5	11.4	8.2	11.3	10.9	6.9	3.3	4.7	5.6	16.0	15.1	24.0	26.3	26.8	21.2	28.1	30.6	11.8	8.2	9.5	10.8	13.3	9.7	12.1	12.4
All	9.8	9.2	12.0	10.6	8.0	8.0	11.9	11.2	5.7	4.8	7.2	6.5	18.3	20.5	28.5	30.1	26.3	24.7	29.8	29.5	11.5	10.9	14.7	14.3	14.2	14.1	14.7	16.6

LSAA 2019 LSAA 2021 LSAA 2023 State 2023


# Bullying Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Grade	During the past 30 days, student has...				During the past 12 months, student has been...				During the past 12 months, student has been...			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	12.0	13.0	16.1	14.6	27.1	23.8	31.1	29.0	19.5	28.2	26.4	25.2
8th	11.3	10.8	15.5	13.5	21.1	18.4	28.8	25.5	23.8	29.3	32.7	30.3
10th	8.3	9.0	15.1	11.1	13.5	12.1	16.3	16.2	23.1	28.2	27.7	29.0
12th	11.7	7.3	17.9	10.8	10.7	9.3	13.6	10.4	20.3	24.2	27.1	24.1
All	10.8	9.8	16.1	12.5	18.4	15.5	22.6	20.3	21.7	27.5	28.5	27.2

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Mental health treatment needs Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Grade	High treatment needs				Moderate treatment needs				Low treatment needs			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	14.6	20.2	22.7	20.3	20.0	22.1	25.7	25.1	65.4	57.7	51.6	54.6
8th	19.2	26.4	26.5	24.3	23.7	24.7	26.7	25.7	57.0	48.8	46.8	50.0
10th	22.6	31.2	29.3	27.9	27.8	29.1	27.1	28.8	49.6	39.7	43.6	43.3
12th	23.4	27.1	32.6	27.5	32.1	35.1	26.1	29.7	44.5	37.8	41.3	42.8
All	19.9	26.6	27.7	25.0	25.8	28.1	26.4	27.3	54.3	45.3	45.9	47.7

\* Mental health treatment needs are calculated from student responses to specific questions. See text for further explanation.

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023




# Attitudes toward mental health treatment

		6th				8th				10th				12th				All			
		LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
How often in the last thirty days did you talk to an adult (parent, doctor, counselor, teacher, etc.) about feeling very sad, hopeless, or suicidal? (Answered 1 or more times)		18.1	16.5	28.0	23.5	15.4	19.7	17.5	19.7	20.3	19.4	22.5	23.8	18.1	26.7	21.4	25.1	18.1	20.8	22.4	23.0
Who, in the last thirty days, did you talk to about feeling very sad, hopeless, or suicidal? (Treated as "Mark all that apply")	Sample size*	323	148	226	2,367	380	342	232	2,586	403	327	191	2,245	164	132	82	1,208	1,270	949	731	8,406
	I felt this way but did not talk to anyone about it	35.9	43.1	54.4	43.9	33.7	48.5	50.2	48.6	38.9	48.9	41.1	43.2	37.2	43.8	37.9	36.3	36.6	46.3	45.3	42.7
	Parent	50.1	44.8	31.8	43.0	40.9	26.5	31.3	32.0	37.2	24.3	38.7	36.1	30.4	24.8	30.0	37.7	39.1	27.9	33.2	37.0
	Friend/Peer	39.6	29.5	34.6	34.1	44.2	40.6	44.5	39.8	50.5	41.1	43.7	43.8	49.3	50.7	51.8	50.1	46.3	42.4	44.2	42.7
	Teacher	16.1	6.4	12.4	9.6	13.2	3.1	4.4	4.5	6.7	2.2	0.6	3.3	6.6	4.9	2.2	4.0	10.2	3.9	4.3	5.1
	Doctor	15.5	7.9	5.4	7.5	9.3	6.7	5.4	5.9	7.4	3.8	1.9	6.4	3.6	6.5	4.7	5.3	8.6	5.8	4.2	6.2
	Clergy (e.g. Bishop, Priest or Nun, Minister, Pastor)	6.9	1.3	1.7	3.3	2.7	0.8	1.8	1.8	5.7	2.2	0.6	2.4	1.3	2.3	0.0	3.0	4.2	1.8	1.0	2.6
	School Counselor	20.3	11.2	15.5	13.9	14.4	5.8	9.9	7.9	10.5	3.6	2.8	4.4	2.5	4.5	1.1	3.4	11.4	5.4	6.7	6.9
	School Nurse	~	1.7	2.0	1.5	~	0.3	0.1	0.6	~	0.6	0.8	0.3	~	0.0	0.0	0.1	~	0.5	0.6	0.5
	Therapist	18.8	13.7	19.0	17.5	16.3	13.4	11.9	14.1	14.4	9.9	16.4	18.0	9.4	10.5	15.9	19.1	14.5	11.3	15.6	17.3
Other adult	21.2	7.1	13.0	12.9	15.1	8.8	6.3	9.8	9.6	7.1	4.8	8.3	8.0	4.4	7.1	9.8	13.0	6.6	7.4	10.0	
Do you think it's ok to seek help and talk to a professional counselor, therapist, or doctor if you've been feeling very sad, hopeless, or suicidal?	Yes	87.9	83.6	88.1	84.0	83.4	80.7	79.3	81.0	83.7	76.4	73.5	80.1	81.5	83.7	78.5	83.7	84.1	80.9	80.0	82.2
	No	2.0	4.3	2.0	3.4	3.8	2.0	2.4	3.0	2.5	2.5	5.6	2.7	3.6	4.1	3.6	3.1	3.0	3.2	3.4	3.0
Do you think it's ok to seek help and talk to a professional counselor, therapist, or doctor if you've been feeling very sad, hopeless, or suicidal?	I think it's ok for other people to seek help, but not for me to seek help	10.1	12.2	10.0	12.6	12.8	17.3	18.3	16.0	13.8	21.1	20.9	17.2	14.9	12.2	17.9	13.2	12.9	15.9	16.7	14.8

\* These data represent youth who chose any answer other than "I have not felt this way in the past 30 days." If this represents fewer than ten students, the sample is considered too small to produce reliable results and the data are removed. Due to changes to this question, 2017 data were unsuitable for comparison and are omitted. See Appendix A for information.

# Depression Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Depressive symptoms scale\*

High depressive symptoms

Moderate depressive symptoms

No depressive symptoms

Felt sad or hopeless for two weeks or more in a row during the past year\*\*


Grade	High depressive symptoms				Moderate depressive symptoms				No depressive symptoms				Felt sad or hopeless for two weeks or more in a row during the past year**			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	7.3	8.4	9.8	8.8	57.5	64.6	66.6	66.8	35.2	26.9	23.5	24.4	23.3	26.0	30.2	26.9
8th	8.4	12.2	11.5	10.4	57.5	61.0	62.9	62.9	34.1	26.8	25.6	26.8	26.3	33.6	35.4	31.2
10th	11.0	13.5	15.2	11.1	64.1	66.1	64.4	67.7	24.9	20.4	20.4	21.3	34.0	42.3	40.8	34.6
12th	10.1	12.3	7.5	9.4	69.1	69.1	71.3	70.0	20.8	18.5	21.2	20.6	37.0	42.9	43.6	36.7
All	9.1	11.8	11.0	9.9	61.8	65.3	66.3	66.8	29.0	22.9	22.7	23.3	30.0	36.8	37.3	32.3

\* Depressive symptoms are calculated from student responses to specific questions. See text for further explanation.

\*\* National comparison data for "Felt sad or hopeless..." are available for 10th and 12th grade only.

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023 ✕ YRBS


# Suicide indicators and self harm Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Grade	During the past 12 months, did you ever seriously consider attempting suicide? (Answered 'Yes')				During the past 12 months, did you make a plan about how you would attempt suicide? (Answered 'Yes')				During the past 12 months, how many times did you actually attempt suicide? (Answered 1 or more times)				Purposeful self harm (without suicidal intention, e.g. cutting or burning) 1 or more times during the past 12 months			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	12.1	12.8	13.0	13.5	9.9	10.0	11.8	10.7	7.4	6.7	6.8	7.3	13.9	16.9	19.1	18.0
8th	15.8	20.0	18.0	18.2	12.9	15.7	14.5	14.5	7.9	9.8	8.9	8.1	15.7	21.3	23.2	21.1
10th	21.2	22.7	23.5	19.9	16.4	18.2	17.9	14.7	8.2	8.1	9.7	7.8	18.6	20.9	22.2	20.6
12th	18.9	20.3	22.7	18.6	14.7	14.0	15.8	12.8	6.4	5.6	8.1	5.8	14.9	17.5	20.4	19.5
All	17.0	19.3	19.2	17.6	13.4	14.7	15.0	13.2	7.5	7.5	8.4	7.3	15.8	19.2	21.2	19.8

LSAA 2019 LSAA 2021 LSAA 2023 State 2023 YRBS

# Social isolation Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Students who reported during the past seven days "Often" or "Always"...

Grade	felt left out				felt that people barely know me				felt isolated from others				felt that people are around me but not with me			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	14.2	18.1	18.4	18.8	9.1	15.2	17.2	15.0	8.2	13.9	15.1	14.2	14.1	20.5	19.5	20.1
8th	14.1	21.7	20.8	20.1	14.5	23.9	23.8	19.8	13.1	22.3	22.5	19.8	17.5	26.1	27.5	24.3
10th	18.7	24.4	21.6	21.2	18.8	29.7	25.3	23.6	18.0	29.4	24.7	24.1	23.5	32.0	30.1	27.7
12th	14.3	20.7	24.6	18.6	17.7	26.8	29.3	23.3	18.8	30.4	29.4	23.4	21.9	30.9	34.1	27.1
All	15.4	21.4	21.3	19.7	14.9	24.3	23.8	20.4	14.4	24.5	22.9	20.4	19.2	27.7	27.7	24.8

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Social Determinants of Health Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




This past year, did you experience any of the following? (Mark all that apply.)

Grade	One or more people living in my home lost their job		I had to move or change homes in the past year		Skipped one or more meals because my family didn't have enough money to buy food		I had difficulty keeping up with school work because I didn't have access to a reliable computer or internet service		I did not have a quiet place to study	
	LSAA 2023	State 2023	LSAA 2023	State 2023	LSAA 2023	State 2023	LSAA 2023	State 2023	LSAA 2023	State 2023
6th	25.6	27.7	34.6	37.0	8.0	9.8	29.4	24.2	44.0	51.0
8th	22.1	29.1	36.2	34.0	11.9	11.0	20.3	22.3	54.8	49.9
10th	33.7	32.6	40.0	32.2	20.3	13.6	18.6	20.6	53.6	53.4
12th	36.4	35.4	49.3	26.9	6.4	11.8	8.7	20.1	50.9	54.2
All	29.3	31.2	40.1	32.6	11.4	11.5	19.1	21.8	50.8	52.1

LSAA 2023 State 2023

# Places of alcohol use (of past-year alcohol users)\* Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




During the past year, how many times (if any) did you drink alcohol at any of the following places? (Students responding 1 or more times)\*

Grade	At my home or someone else's home without any parent permission				At my home with my parent's permission				At someone else's home with their parent's permission				In a car				At or near school				Outside of town (public lands, desert, or campground)				In another place			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	30.2	~	27.3	36.6	60.3	~	57.2	61.7	26.7	~	26.8	17.7	19.0	~	11.8	12.4	23.8	~	18.1	12.1	20.8	~	28.0	23.3	31.7	~	41.2	43.8
8th	55.5	~	36.2	48.9	44.2	~	62.2	52.8	22.2	~	24.2	20.7	20.5	~	3.5	12.9	21.7	~	11.7	20.6	25.6	~	26.3	22.2	27.4	~	34.4	31.8
10th	63.4	~	56.9	56.8	40.2	~	37.9	49.0	19.6	~	32.2	27.1	18.5	~	13.6	20.0	11.5	~	16.1	13.3	21.4	~	28.3	26.8	23.5	~	36.2	36.5
12th	65.8	~	71.5	59.7	41.2	~	45.4	45.0	36.7	~	22.9	32.9	22.6	~	37.6	25.8	11.0	~	2.5	8.5	27.7	~	35.0	32.8	27.6	~	29.0	41.4
All	60.4	~	56.3	54.8	43.0	~	46.9	49.1	28.2	~	26.7	27.5	20.7	~	21.1	20.4	14.0	~	10.2	12.6	24.9	~	30.5	28.2	26.7	~	33.5	38.3

\* These data represent youth who had drunk alcohol in the past month and chose at least one place for consuming it. If this represents fewer than ten students, the sample is considered too small to produce reliable results and the data are removed. If no data are available, state data are displayed instead. The 2023 sample sizes represented in these data are 6th grade: 43 students (State: 427); 8th grade: 77 students (State: 916); 10th grade: 102 students (State: 1,121); 12th grade: 46 students (State: 927); all grades combined: 268 students (State: 3,391).

■ LSAA 2019   ■ LSAA 2023   ● State 2023

# Sources of vaping products (of past-month vaping product users)\* Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




If you used vape products in the past 30 days, how did you usually get your own vape products? (Choose only one answer)\*

Grade	I bought them in a convenience store, supermarket, discount store, or gas station				I bought them at a smoke or vape shop				I bought them on the Internet or social media (such as Facebook, Instagram, or SnapChat)				I gave someone else money to buy them for me				I borrowed (or bummed) them from somebody else				A person 18 years old or older gave them to me				I took them from a store or family member				I got them some other way			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
8th	0.0	12.0	0.0	3.8	~	0.0	0.0	0.2	0.0	4.3	0.0	2.9	4.7	15.7	13.1	12.5	45.1	28.3	22.1	34.5	7.6	9.6	1.5	2.2	7.9	9.7	8.6	7.5	32.7	20.4	54.8	36.3
10th	1.3	9.2	0.0	7.3	~	1.5	0.0	1.2	0.5	15.1	0.8	2.3	6.9	4.3	9.8	12.1	53.9	40.1	24.2	38.4	9.0	7.9	1.0	8.2	6.6	0.0	0.0	1.1	17.5	21.8	64.2	29.5
All	1.6	28.4	0.3	5.8	~	2.3	5.7	3.5	0.6	7.3	1.3	7.1	12.1	8.0	26.8	15.6	42.7	30.6	19.4	28.5	5.5	8.6	1.2	7.5	3.9	1.6	3.1	4.3	18.7	13.2	42.2	27.7

\* These data represent youth who had used a vaping device in the past month and chose at least one source of obtaining vaping products. If this represents fewer than ten students, the sample is considered too small to produce reliable results and the data are removed. If no data are available, state data are displayed instead. The 2023 sample sizes represented in these data are 6th grade: <10 students (State: 89); 8th grade: 30 students (State: 276); 10th grade: 30 students (State: 265); 12th grade: <10 students (State: 174); all grades combined: 74 students (State: 804).

LSAA 2019 LSAA 2021 LSAA 2023 State 2023

## Sources of cigarettes (of past-month cigarette users)\* State of Utah 2023 SHARP (PNA) Student Survey



If you smoked cigarettes in the past 30 days, how did you usually get your own cigarettes? (Choose only one answer)\*


Grade	I bought them in a convenience store, supermarket, discount store, or gas station			I bought them at a smoke or vape shop			I bought them on the Internet or social media (such as Facebook, Instagram, or SnapChat)			I gave someone else money to buy them for me			I borrowed (or bummed) them from somebody else			A person 18 years old or older gave them to me			I took them from a store or family member			I got them some other way		
	State 2019	State 2021	State 2023	State 2019	State 2021	State 2023	State 2019	State 2021	State 2023	State 2019	State 2021	State 2023	State 2019	State 2021	State 2023	State 2019	State 2021	State 2023	State 2019	State 2021	State 2023	State 2019	State 2021	State 2023
6th	15.3	21.9	0.0	~	0.0	0.0	7.9	6.6	14.7	4.3	2.3	17.5	8.6	16.9	0.0	5.1	13.9	60.1	20.0	15.3	0.9	27.9	23.2	6.8
8th	19.0	30.2	0.0	~	0.3	7.6	0.0	2.8	0.2	7.6	1.8	21.9	14.4	16.8	7.3	14.7	3.0	17.2	13.0	15.0	21.9	25.7	30.2	23.9
10th	16.9	13.8	0.3	~	0.0	1.3	3.0	0.0	9.2	8.9	3.0	13.4	18.2	34.7	20.1	4.3	2.6	16.2	8.8	2.9	19.8	33.6	43.0	19.8
12th	17.7	20.4	0.0	~	1.4	2.3	1.9	0.0	8.1	9.1	13.5	15.5	19.4	26.6	32.3	20.1	12.4	9.0	2.9	16.1	2.3	21.1	9.6	30.4
All	17.4	21.6	0.1	~	0.5	3.0	2.5	1.7	7.1	8.2	5.6	16.4	16.9	24.7	20.3	12.4	7.0	16.7	8.6	11.9	12.7	26.7	26.9	23.7

\* These data represent youth who had smoked cigarettes in the past month and chose at least one source of obtaining them. If this represents fewer than ten students, the sample is considered too small to produce reliable results and the data are removed. If no data are available, state data are displayed instead. The 2023 sample sizes represented in these data are 6th grade: <10 students (State: 10); 8th grade: <10 students (State: 41); 10th grade: <10 students (State: 41); 12th grade: <10 students (State: 28); all grades combined: <10 students (State: 120).

State 2019 State 2021 State 2023



# First use of tobacco (of students who have ever tried tobacco products)\* Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



If you have ever tried a tobacco product, which one did you try first?\*

Grade	Cigarettes				Cigars, cigarillos, or little cigars				Tobacco in a hookah or waterpipe				Vape products such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars				Chewing tobacco, snuff, or dip				Nicotine pouches like Zyn, On, or Velo				Other			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	40.1	15.2	38.0	16.9	0.0	4.8	0.0	2.3	0.0	0.0	0.0	0.3	41.1	65.8	62.0	71.2	5.2	2.1	0.0	2.0	~	1.0	0.0	3.5	13.6	10.9	0.0	3.8
8th	21.1	10.8	25.2	17.3	5.0	1.7	0.0	1.3	1.4	0.0	0.0	0.4	69.2	78.4	68.4	74.9	1.2	2.2	0.0	1.5	~	0.2	0.9	1.2	2.1	6.7	5.5	3.4
10th	15.5	12.9	10.6	17.1	2.3	0.6	0.0	1.4	0.6	0.0	4.7	1.4	79.4	83.3	84.7	73.5	0.8	0.7	0.0	2.2	~	0.3	0.0	1.3	1.3	2.1	0.0	3.1
12th	19.5	13.3	12.9	14.9	4.0	4.2	0.0	0.9	0.7	0.6	0.0	2.3	72.3	78.5	87.1	76.3	2.1	1.9	0.0	1.5	~	0.2	0.0	1.7	1.4	1.3	0.0	2.3
All	20.2	12.9	16.5	16.3	3.4	2.6	0.0	1.3	0.7	0.2	1.5	1.5	71.5	79.4	80.3	74.8	1.8	1.6	0.0	1.8	~	0.3	0.2	1.6	2.4	3.1	1.4	2.9

\* These data do not include students who have never used a tobacco product. If this represents fewer than ten students, the sample is considered too small to produce reliable results and the data are removed. If no data are available, state data are displayed instead. The 2023 sample sizes represented in these data are 6th grade: 20 students (State: 227); 8th grade: 75 students (State: 635); 10th grade: 62 students (State: 618); 12th grade: 29 students (State: 442); all grades combined: 186 students (State: 1,922).

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Perception of parental disapproval Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Parents feel it would be "Wrong" or "Very Wrong" to...

Grade	have one or two drinks of an alcoholic beverage nearly every day				smoke cigarettes				smoke marijuana				use prescription drugs not prescribed to you				use vape products such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars				Parents communicate expectations of NO alcohol use at least twice a year			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	99.6	99.0	99.3	99.2	99.6	99.5	99.3	99.4	99.0	99.0	99.6	99.4	99.4	99.6	99.3	99.4	98.1	98.6	99.4	99.4	37.7	34.2	37.0	37.3
8th	98.9	98.8	98.6	99.2	99.4	99.3	98.6	99.2	97.2	97.0	98.2	98.4	99.0	99.3	99.3	98.9	96.3	97.8	98.6	98.9	37.8	30.0	34.1	32.2
10th	98.7	98.5	99.4	99.0	99.3	99.3	99.4	99.1	94.5	93.7	97.2	96.5	98.9	99.4	99.0	98.6	94.5	96.7	96.9	98.1	26.8	23.8	23.9	28.6
12th	97.1	98.4	97.0	98.4	98.5	99.0	99.3	98.9	89.1	92.1	93.3	93.6	98.8	99.8	98.9	98.7	89.9	95.6	97.0	97.2	20.7	20.6	22.2	22.2
All	98.6	98.7	98.6	99.0	99.2	99.2	99.2	99.2	95.1	95.3	97.1	97.0	99.0	99.5	99.1	98.9	94.8	97.1	98.0	98.4	30.9	26.6	29.3	30.0

LSAA 2019 LSAA 2021 LSAA 2023 State 2023

# Perception of peer disapproval Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Friends feel it would be "Wrong" or "Very Wrong" to...

Grade	have one or two drinks of an alcoholic beverage nearly every day				smoke tobacco				smoke marijuana				use prescription drugs not prescribed to you			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	98.6	97.7	97.8	97.3	98.9	98.4	98.4	98.3	98.2	97.9	97.7	98.1	98.2	98.9	98.0	98.1
8th	94.2	93.1	94.6	94.9	96.7	95.2	95.9	95.5	89.1	90.4	93.3	92.8	96.0	95.9	97.3	96.0
10th	87.2	90.0	92.6	93.5	92.2	92.8	94.6	94.7	74.3	80.0	86.7	87.5	92.8	94.4	95.6	95.8
12th	82.7	85.8	90.8	91.6	88.5	89.6	92.2	92.7	62.4	70.6	84.1	80.3	92.6	93.0	97.1	95.6
All	91.0	91.4	94.0	94.4	94.2	93.8	95.3	95.3	81.6	84.0	90.6	89.8	95.0	95.4	97.0	96.4

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Perception of risk Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



People are at "Moderate" or "Great risk" of harming themselves if they...

Grade	take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day				take five or more drinks of an alcoholic beverage once or twice a week				smoke one or more packs of cigarettes per day				smoke marijuana regularly				use prescription drugs that are not prescribed to them				use vape products such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	78.7	74.0	70.5	76.6	81.3	75.8	72.3	78.3	84.6	81.2	78.3	81.8	77.3	73.3	66.7	75.1	84.5	80.6	77.2	81.5	79.1	77.9	77.2	82.8
8th	82.1	79.8	80.9	81.3	82.3	82.1	82.0	83.2	85.7	84.3	86.6	85.3	74.2	71.9	76.4	77.0	86.5	86.1	85.6	86.0	76.3	80.7	86.1	85.9
10th	82.0	80.1	82.8	85.1	85.1	83.6	86.4	86.6	87.6	85.2	87.8	88.1	67.2	66.1	73.6	74.6	88.4	86.2	87.6	89.0	73.5	80.1	87.3	88.3
12th	80.5	76.6	79.5	82.3	83.2	79.8	81.8	84.9	87.5	83.3	84.3	86.5	55.0	54.8	61.1	65.1	89.3	85.7	88.8	87.4	67.6	77.5	88.7	86.4
All	80.8	77.8	78.5	81.4	83.0	80.5	80.7	83.3	86.3	83.6	84.3	85.4	68.8	66.2	69.5	73.1	87.1	84.8	84.8	86.1	74.3	79.1	84.9	85.9

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023


## Perceived vs. actual ATOD use\*

		6th				8th				10th				12th				All			
		LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
Smoke cigarettes every day	Perceived use	2.3	2.0	1.6	2.7	13.9	14.2	13.0	11.7	20.5	18.5	16.9	16.1	20.6	18.8	13.5	14.3	14.3	13.9	11.0	11.2
	Actual use	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.4	0.2	0.0	0.2	0.6	0.5	0.0	0.2	0.3	0.2	0.0	0.2
Drank alcohol in past 30 days	Perceived use	3.2	3.1	2.4	3.2	21.2	19.1	15.4	13.9	34.6	31.0	25.1	23.2	40.6	36.9	28.5	26.8	24.7	23.6	17.4	16.7
	Actual use	0.7	1.0	0.5	0.8	5.0	3.8	1.2	2.0	8.8	6.4	4.7	4.0	17.0	15.7	8.3	7.2	7.6	7.0	3.6	3.4
Used marijuana in past 30 days	Perceived use	1.9	1.7	1.4	2.1	20.7	17.7	15.7	14.2	36.5	31.0	23.7	22.6	44.3	36.9	23.1	25.4	25.6	23.0	15.6	16.1
	Actual use	0.8	0.5	0.6	0.6	6.1	3.7	2.0	3.1	11.9	7.5	8.9	5.1	16.3	13.2	11.2	8.6	8.5	6.5	5.6	4.3
Used a vape product	Perceived use	~	~	4.3	5.4	~	~	26.7	23.5	~	~	35.1	33.6	~	~	37.1	35.5	~	~	25.2	24.5
	Actual use	~	~	1.3	1.5	~	~	4.4	4.2	~	~	9.2	6.3	~	~	6.7	7.7	~	~	5.3	4.9

\* Students were asked to report the percent of their peers they perceived were using cigarettes, alcohol, and marijuana. The data in this table represent their perceived use amongst similarly aged peers compared to the actual use of those substances by grade.

# Student health habits and routines

## Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Grade	Spends 2 or more hours per school day playing Xbox, PlayStation, texting, or YouTube, Instagram, Facebook, etc. (not counting school work)				Students reporting 8 or more hours of sleep on an average school night				Eat at least one meal as a family 5 or more times in a typical week			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	53.6	70.4	73.3	67.8	~	55.5	60.8	59.6	71.9	68.9	64.3	64.3
8th	68.5	82.3	81.6	79.1	~	41.6	42.4	46.5	66.1	63.9	60.7	61.1
10th	76.6	85.7	88.1	85.0	~	21.2	25.2	26.9	55.0	55.2	53.2	54.1
12th	78.4	90.9	89.2	87.0	~	18.4	20.0	19.4	40.6	46.5	42.1	46.4
All	69.2	83.2	82.9	79.8	~	32.7	37.9	38.4	59.0	58.1	55.2	56.5

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Student physical health and activity levels

## Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Grade	Physically active all seven days during the past week				Walk or ride non-motorized scooter/bike to/from school 1 or more times in a typical week				Adolescents reporting healthy body weight (between 5th and 85th percentiles)			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	27.9	20.5	25.2	21.9	41.5	39.5	37.6	37.6	62.2	61.9	61.4	65.9
8th	24.7	17.7	23.2	20.7	30.8	29.1	39.1	31.2	71.6	68.3	65.2	69.2
10th	16.2	15.3	20.2	19.1	18.3	19.7	16.1	19.0	70.3	68.5	81.7	72.5
12th	12.0	12.4	9.2	14.1	15.7	14.3	12.3	11.1	72.1	68.1	60.8	69.3
All	20.3	16.2	19.4	18.9	26.9	24.7	26.4	24.7	69.6	67.4	67.7	69.6

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023

# Safe vehicle habits

## Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey




Grade	Student wears a seat belt "Most of the time" or "Always" when riding in a car driven by someone else				Talked on a phone 1 or times while driving a car or other vehicle in the past 30 days				Texted or emailed 1 or times while driving a car or other vehicle in the past 30 days			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	94.4	89.7	92.1	92.2	1.6	~	~	~	0.8	~	~	~
8th	89.6	90.8	91.3	90.1	1.5	4.7	5.2	6.0	0.8	0.7	1.3	1.5
10th	91.7	89.5	93.8	92.7	18.9	21.9	27.5	26.1	12.1	12.9	21.0	15.9
12th	90.9	92.9	97.1	92.7	57.4	58.9	52.5	62.0	43.6	45.8	34.7	47.2
All	91.7	90.8	93.6	91.9	19.8	29.1	28.2	31.7	14.3	20.4	18.9	21.9

■ LSAA 2019 ■ LSAA 2021 ■ LSAA 2023 ● State 2023



# Student safety

## Weber And Morgan Counties LSAA 2023 SHARP (PNA) Student Survey



Grade	Student indicating they "somewhat" or "definitely" agree with the statement "I feel safe in my neighborhood."				Hit or injured on purpose by a dating partner (past 12 months)				Guns and bullets in home stored unlocked/in plain sight OR locked/hidden, but student can access			
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	LSAA 2019	LSAA 2021	LSAA 2023	State 2023
6th	87.3	86.7	85.9	88.5	3.7	3.2	4.1	3.0	13.2	16.1	13.1	13.9
8th	85.5	87.7	89.3	88.9	4.2	5.1	4.6	3.9	20.1	20.8	20.5	19.2
10th	90.4	88.0	90.0	89.2	7.7	5.2	5.9	5.5	28.1	27.4	23.0	22.8
12th	84.4	87.9	91.3	89.2	5.2	9.1	5.2	4.8	33.7	31.0	25.4	24.7
All	87.0	87.6	89.1	88.9	5.3	5.9	4.9	4.3	23.6	24.4	20.5	20.2

■ LSAA 2019  
 ■ LSAA 2021  
 ■ LSAA 2023  
 ● State 2023

# THE RISK AND PROTECTIVE FACTOR MODEL OF PREVENTION

Prevention is a science. The Risk and Protective Factor Model of Prevention is a proven way of reducing substance abuse and its related consequences.

This model is based on the simple premise that to prevent a problem from happening, we need to identify the factors that increase the risk of that problem developing and then find ways to reduce the risks. Just as medical researchers have found risk factors for heart disease such as diets high in fat, lack of exercise, and smoking; a team of researchers at the University of Washington have defined a set of risk factors for youth problem behaviors.

**Risk factors** are characteristics of school, community, and family environments, and of students and their peer groups known to predict increased likelihood of drug use, delinquency, school dropout, and violent behaviors among youth. For example, children who live in disorganized, crime-ridden neighborhoods are more likely to become involved in crime and drug use than children who live in safe neighborhoods.

The chart on the following page shows the links between the 20 risk factors and six problem behaviors. The check marks indicate where at least two well designed, published research studies have shown a link between the risk factor and the problem behavior.

**Protective factors** exert a positive influence and buffer against the negative influence of risk, thus reducing the likelihood that adolescents will engage in problem behaviors. Protective factors identified through research include strong bonding to family, school, community and peers, and healthy beliefs and clear standards for behavior. Protective bonding depends on three conditions:

- **Opportunities** for young people to actively contribute
- **Skills** to be able to successfully contribute
- **Consistent recognition** or reinforcement for their efforts and accomplishments

Bonding confers a protective influence only when there is a positive climate in the schools, families, and neighborhoods. Peers and adults in these schools, families and neighborhoods must communicate healthy values and set clear standards for behavior in order to ensure a protective effect. For example, strong bonds to antisocial peers would not be likely to reinforce positive behavior.

Research on risk and protective factors has important implications for children's academic success, positive youth development, and prevention of health and behavior problems. In order to promote academic success and positive youth development and to prevent problem behaviors, **it is necessary to address the factors that predict these outcomes.** By measuring risk and protective factors in a population, specific risk factors that are elevated and widespread can be identified and targeted by policies, programs, and actions shown to reduce those risk factors and to promote protective factors.


Each risk and protective factor can be linked to specific types of interventions that have been shown to be effective in either reducing risk(s) or enhancing protection(s). The steps outlined here will help make key decisions regarding allocation of resources, how and when to address specific needs, and which strategies are most effective and known to produce results.

In addition to helping assess current conditions and prioritize areas of greatest need, data from the SHARP Prevention Needs Assessment (PNA) Survey can be a powerful tool in applying for and complying with several federal programs, outlined later in this report, such as the Strategic Prevention Framework process. The survey also gathers valuable data which allows state and local agencies to address other prevention issues related to academic achievement, mental health, gang involvement, health and fitness, and personal safety.


# RISK FACTORS FOR ADOLESCENT PROBLEM BEHAVIORS

	Community							Family				School		Peer/Individual						
	Availability of Drugs	Availability of Firearms	Community Laws & Norms Favorable Toward Drug Use, Firearms, & Crime	Media Portrayals of the Behavior	Transitions & Mobility	Low Neighborhood Attachment & Community Disorganization	Extreme Economic Deprivation	Family History of the Problem Behavior	Family Management Problems	Family Conflict	Favorable Parental Attitudes & Involvement in the Problem Behavior	Academic Failure Beginning in Late Elementary School	Lack of Commitment to School	Early & Persistent Antisocial Behavior	Rebelliousness	Gang Involvement	Friends Who Engage in the Problem Behavior	Favorable Attitudes Toward the Problem Behavior	Early Imitation of the Problem Behavior	Constitutional Factors
Substance Abuse	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Delinquency		✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Teen Pregnancy							✓	✓	✓	✓		✓	✓	✓			✓	✓	✓	
School Drop-Out					✓		✓	✓	✓			✓	✓	✓	✓		✓	✓	✓	
Violence	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Depression & Anxiety					✓			✓	✓	✓		✓		✓						✓


# Risk profile, 6th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv




# Risk profile, 8th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv




# Risk profile, 10th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv



# Risk profile, 12th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv



# Risk profile, All Grades Weber And Morgan Counties LSAA 2023 SHARP Surv







# Risk profile

	6th					8th					10th					12th					All				
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm
<b>Community Domain</b>																									
Low neighborhood attachment	31.5	34.3	32.2	31.9	42.1	27.3	30.5	33.9	29.9	35.7	31.5	35.4	38.7	36.5	42.8	40.8	43.0	39.1	42.8	49.4	32.5	35.9	35.8	35.1	42.5
Laws & norms favorable to drug use	26.7	37.9	41.5	32.8	35.2	25.8	28.9	25.5	26.2	33.5	20.2	24.8	23.7	20.6	36.0	34.4	31.7	30.8	25.2	44.2	26.5	30.5	30.4	26.2	37.3
Perceived availability of drugs	29.0	27.6	29.5	29.7	35.8	24.7	19.4	22.1	18.2	26.8	25.3	20.3	17.4	16.7	27.4	28.8	21.8	18.4	15.2	32.7	26.9	21.9	22.0	19.9	30.1
Perceived availability of handguns	19.7	20.5	24.0	23.8	22.4	32.8	31.8	35.8	32.6	33.2	20.0	26.2	23.9	23.0	21.8	29.7	26.1	28.1	26.4	26.7	25.5	26.4	28.1	26.5	26.4
<b>Family Domain</b>																									
Poor family management	34.9	40.3	40.6	40.8	44.2	19.9	18.8	22.3	20.1	36.0	18.0	19.4	16.1	15.3	32.0	24.4	18.2	18.0	15.6	35.2	24.2	23.3	24.6	22.9	35.9
Family conflict	30.6	32.2	31.0	34.3	36.9	24.0	27.3	24.9	25.9	32.7	28.9	31.1	29.6	29.0	37.5	30.9	27.8	30.0	27.2	37.5	28.5	29.6	28.8	29.1	36.1
Family history of antisocial behavior	30.4	26.8	19.0	23.9	32.8	20.9	21.3	16.1	14.7	29.5	27.0	22.1	19.4	17.4	32.6	25.7	20.8	15.3	18.5	34.4	26.0	22.6	17.5	18.6	32.3
Parent attitudes favorable to ASB	31.8	35.8	50.5	46.7	36.9	35.1	43.0	51.9	47.4	46.5	38.8	44.7	46.0	45.3	49.6	36.3	44.9	44.9	41.2	49.1	35.5	42.4	48.4	45.2	46.4
Parent attitudes favorable to drug use	5.5	7.0	8.4	7.6	11.4	11.3	12.1	12.1	9.8	22.7	17.3	19.6	15.8	14.6	35.6	20.3	14.6	18.3	14.0	36.8	13.4	13.7	13.6	11.5	28.0
<b>School Domain</b>																									
Academic failure	28.3	34.1	28.5	28.8	27.4	29.7	33.8	34.7	29.7	29.6	30.6	39.6	33.9	28.4	32.3	34.7	42.0	44.2	31.2	33.4	30.7	37.6	35.4	29.5	31.0
Low commitment to school	43.5	50.6	56.9	54.8	47.0	47.0	53.3	63.0	57.1	49.1	44.4	55.5	54.9	50.6	45.9	50.2	52.9	47.1	47.4	47.8	46.2	53.2	55.6	52.5	47.5
<b>Peer-Individual Domain</b>																									
Rebelliousness	20.9	22.4	28.6	26.3	22.0	17.0	18.7	19.4	21.3	26.0	24.8	23.0	27.6	24.7	30.4	23.7	26.5	19.6	25.0	31.7	21.6	22.8	23.8	24.3	28.1
Early initiation of ASB	18.4	17.0	19.6	18.2	24.6	24.8	22.6	26.0	21.9	24.6	27.9	26.1	27.7	21.7	26.3	28.4	27.1	20.4	19.5	25.5	24.7	23.5	23.4	20.4	25.3
Early initiation of drug use	11.1	12.1	11.4	11.5	19.4	15.4	15.9	11.1	10.6	23.3	15.5	15.3	9.2	7.6	24.8	25.4	20.0	7.0	8.5	32.3	16.6	16.0	9.7	9.5	25.7
Attitudes favorable to ASB	43.5	45.5	60.0	57.9	38.8	28.1	32.9	37.9	37.4	29.4	34.9	39.1	44.2	42.0	34.7	35.6	42.4	36.7	40.9	35.3	35.6	39.9	44.8	44.5	34.1
Attitudes favorable to drug use	13.5	13.7	17.9	14.7	17.3	20.8	22.1	22.1	20.1	27.9	28.8	29.1	24.4	23.7	39.6	29.7	30.2	20.3	23.1	41.4	22.9	24.3	21.2	20.4	33.0
Perceived risk of drug use	38.1	43.0	48.3	42.5	50.9	34.1	36.7	34.2	32.1	47.7	42.8	44.1	38.8	35.1	60.2	45.4	45.0	36.0	32.8	58.6	39.9	42.3	39.2	35.6	54.5
Interaction with antisocial peers	24.4	24.0	22.0	21.9	31.7	16.4	14.5	15.4	15.0	23.9	19.4	13.5	18.1	13.3	24.0	18.2	15.4	7.2	11.3	23.5	19.6	16.5	15.9	15.5	25.2
Friend's use of drugs	8.9	9.9	7.6	8.3	14.6	15.9	15.7	12.0	13.0	26.5	19.3	11.4	7.6	8.6	27.7	17.6	12.4	6.2	6.8	28.2	15.4	12.4	8.4	9.2	25.4
Rewards for ASB	20.5	20.5	21.2	23.4	21.6	30.1	27.5	28.9	27.4	30.1	31.7	27.4	26.0	26.1	39.5	36.9	32.1	23.4	24.0	44.1	29.8	27.3	24.9	25.2	35.1
Depressive symptoms	30.1	36.9	39.1	39.0	31.1	34.2	43.2	43.5	41.7	37.4	42.1	51.3	48.6	47.3	43.2	45.6	55.5	48.1	46.2	41.8	37.8	47.2	44.7	43.6	38.7
Gang involvement	1.8	1.9	2.0	2.1	7.7	2.6	1.7	1.3	2.2	7.4	2.0	2.5	1.4	1.2	7.2	2.1	1.1	2.2	1.1	7.9	2.1	1.8	1.7	1.7	7.5


# Protective profile, 6th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv




# Protective profile, 8th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv




# Protective profile, 10th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv



# Protective profile, 12th Grade Weber And Morgan Counties LSAA 2023 SHARP Surv



# Protective profile, All Grades Weber And Morgan Counties LSAA 2023 SHARP Surv



# Protective profile

	6th					8th					10th					12th					All				
	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm	LSAA 2019	LSAA 2021	LSAA 2023	State 2023	BH Norm
<b>Community Domain</b>																									
Rewards for prosocial involvement	50.6	49.2	47.2	54.2	41.8	53.5	50.3	45.5	55.1	45.1	49.7	45.5	50.4	54.0	39.7	40.8	44.5	48.7	53.5	38.9	48.9	47.2	47.8	54.2	41.4
<b>Family Domain</b>																									
Family attachment	71.1	68.7	66.0	70.0	63.5	69.6	67.4	64.8	69.7	59.9	71.8	65.9	68.5	72.7	61.4	67.5	63.5	73.3	71.4	59.0	70.1	66.2	68.0	71.0	60.6
Opportunities for prosocial involvement	69.7	67.2	68.7	69.5	57.2	74.7	71.3	69.8	71.9	65.9	69.0	61.1	66.9	70.6	60.6	63.7	64.3	71.1	69.0	58.3	69.4	65.7	69.1	70.3	60.7
Rewards for prosocial involvement	61.2	63.9	58.7	63.2	57.7	62.0	60.0	57.0	60.1	52.5	66.2	58.2	66.4	67.1	57.9	63.3	57.4	65.9	65.7	54.6	63.2	59.7	61.8	64.0	55.6
<b>School Domain</b>																									
Opportunities for prosocial involvement	62.9	59.1	66.7	68.7	58.8	74.7	72.1	71.4	73.0	68.5	79.5	72.9	71.9	78.2	66.9	72.9	74.6	75.1	77.7	67.5	72.4	70.1	71.2	74.4	66.2
Rewards for prosocial involvement	64.3	69.9	65.7	64.6	54.6	57.2	55.6	52.5	55.8	54.9	63.9	60.1	65.2	66.1	60.8	49.0	53.5	60.7	56.5	49.4	58.9	59.5	60.9	60.8	55.1
<b>Peer-Individual Domain</b>																									
Belief in the moral order	71.4	65.1	58.0	61.9	62.2	78.1	71.2	68.8	69.7	71.8	67.7	60.4	68.3	64.1	60.6	64.9	65.5	71.1	63.8	58.8	70.6	65.4	66.4	64.9	63.5
Interaction with prosocial peers	40.2	23.2	27.7	31.4	52.3	54.6	45.5	47.2	49.1	54.8	59.7	48.1	60.9	61.3	53.6	54.8	48.5	61.2	59.8	47.6	52.4	42.3	48.8	50.3	52.1
Prosocial involvement	46.8	35.3	40.1	42.7	54.4	55.4	42.1	47.5	48.9	55.4	56.3	43.6	50.2	55.3	57.3	52.3	41.8	50.0	54.5	54.5	52.7	40.9	46.9	50.4	55.5
Rewards for prosocial involvement	53.2	45.3	39.4	44.4	53.9	58.5	54.0	45.8	50.9	54.4	71.0	60.5	61.5	64.4	61.8	70.2	67.7	66.4	69.3	63.3	63.3	57.7	52.8	57.1	58.9

# SCHOOL AND COMMUNITY IMPROVEMENT USING SURVEY DATA

## What are the numbers telling you?

Review the charts and data tables presented in this report. Note your findings as you discuss the following questions.

- **Which 3-5 risk factors appear** to be higher than you would want when compared to the Bach Harrison Norm?
- **Which 3-5 protective factors appear** to be lower than you would want when compared to the Bach Harrison Norm?
- **Which levels of 30-day drug use** are increasing and/or unacceptably high?
  - Which substances are your students using the most?
  - At which grades do you see unacceptable usage levels?
- **Which antisocial behaviors** are increasing and/or unacceptably high?
  - Which behaviors are your students exhibiting the most?
  - At which grades do you see unacceptable behavior levels?

## How to identify high priority problem areas.

Once you have familiarized yourself with the data, you can begin to identify priorities.

- **Look across the charts** for items that stand out as either much higher or much lower than the others.
- **Compare your data** with statewide, and/or national data. Differences of 5% between local and other data are probably significant.
- **Prioritize problems for your area** according to the issues

you've identified. Which can be realistically addressed with the funding available to your community? Which problems fit best with the prevention resources at hand?

- **Determine the standards and values** held within your community. For example: Is it acceptable in your community for a percentage of high school students to drink alcohol regularly as long as that percentage is lower than the overall state rate?

## Use these data for planning.

Once priorities are established, use data to guide your prevention efforts.

- **Substance use and antisocial behavior data** are excellent tools to raise awareness about the problems and promote dialogue.
- **Risk and protective factor data** can be used to identify exactly where the community needs to take action.
- **Additional survey data** on academic achievement, mental health and suicide, health and fitness, gang involvement, and other areas can be used to broaden your prevention approach. Find ways to share these data with other prevention planners in your community.
- **Promising approaches** for any prevention goal are available for through resources listed on the last pages of this report. These contacts are a great resource for information about programs that have been proven effective in addressing the risk factors that are high in your community, and improving the protective factors that are low.

	Sample notes	Priority rate 1	Priority rate 2	Priority rate 3
Risk factors	8th grade. Risk of Drugs seems low @14% (8% > BH Norm.)			
Protective factors	10th grade School rewards for prosocial involvement down 7% from 2 yrs ago			
Substance abuse	8th grade 30-day Vape @7% (3% above state av.)			



# BUILDING A STRATEGIC PREVENTION FRAMEWORK

The Prevention Needs Assessment (PNA) Survey is an important data source for communities in creating planned, data-driven, effective, and sustainable prevention programs. The State of Utah endorses two models for guiding prevention work at the community, regional, or State level – the Communities That Care (CTC) Model and the Substance Abuse and Mental Health Services Administration (SAMHSA) Center for Substance Abuse Prevention (CSAP) Strategic Prevention Framework (SPF). Communities in the State of Utah are encouraged to follow the CTC Model, a tested and effective model to guide communities through a process of community organization and mobilization. The second model for prevention planning, the SPF Model, guides states and communities through a five-step process to increase effectiveness of prevention efforts. The following websites provide additional information about these prevention models: <http://www.communitiesthatcare.net> and <http://www.samhsa.gov/spf>.

Following are the five steps involved in the SPF model. For training in the SPF or the CTC, contact your local prevention coordinator (<http://dsamh.utah.gov/prevention/>).

**Assessment:** Profile Population Needs, Resources, and Readiness to Address the Problems and Gaps in Service Delivery. The SPF begins with an assessment of the needs in the community that is based on data. The Utah State Epidemiological Outcomes Workgroup (SEOW) has compiled data from several sources to aid in the needs assessment process. One of the primary sources of needs assessment data is this Prevention Needs Assessment Survey (PNA). While planning prevention services, communities are urged to collect and use multiple data sources, including archival and social indicators, assessment of existing resources, key informant interviews, and community readiness. The PNA results presented in this profile report will help you to identify needs for prevention services. PNA data include adolescent substance use,

anti-social behavior, and many of the risk and protective factors that predict adolescent problem behaviors.

**Capacity:** Mobilize and/or Build Capacity to Address Needs. Engagement of key stakeholders at the state and community levels is critical to plan and implement successful prevention activities that will be sustained over time. Some of the key tasks to mobilize the state and communities are to work with leaders and stakeholders to build coalitions, provide training, leverage resources, and help sustain prevention activities.

**Planning:** Develop a Comprehensive Strategic Plan. States and communities should develop a strategic plan that articulates not only a vision for the prevention activities, but also strategies for organizing and implementing prevention efforts. The strategic



plan should be based on the assessments conducted during Step 1. The Plan should address the priority needs, build on identified resources/strengths, set measurable objectives, and identify how progress will be monitored. Plans should be adjusted with ongoing needs assessment and monitoring activities.

**Implementation:** Implement Evidence-based Prevention Programs and Infrastructure Development Activities. By measuring and identifying the risk factors and other causal factors that contribute to the targeted problems specified in your strategic plan, programs can be implemented that will reduce the prioritized substance abuse problems. After completing Steps 1, 2, and 3, communities will be able to choose prevention strategies that have been shown to be effective, are appropriate for the population served, can be implemented with fidelity, are culturally appropriate, and can be sustained over time. SAHMSA's National Registry of Evidence-based Programs and Practices (located at <http://www.nrepp.samhsa.gov>) is a searchable online registry of mental health and substance abuse interventions that have been reviewed and rated by independent reviewers. This resource can help identify scientifically based approaches to preventing and treating mental and/or substance use disorders that can be readily disseminated to the field.

**Evaluation:** Monitor Process, Evaluate Effectiveness, Sustain Effective Programs/Activities, and Improve or Replace Those That Fail. Finally, ongoing monitoring and evaluation are essential to determine if the desired outcomes are achieved, assess service delivery quality, identify successes, encourage needed improvement, and promote sustainability of effective policies, programs, and practices. The PNA allows communities to monitor levels of ATOD use, antisocial behavior, risk, and protection.

**Sustainability and Cultural Competence** are at the core of the SPF model, indicating the key role they play in each of the five

elements. Incorporating principles of cultural competence and sustainability throughout assessment, capacity appraisal, planning, implementation and evaluation helps ensure successful, long lasting prevention programs.

**Sustainability is accomplished by utilizing a comprehensive approach.** By building adaptive and flexible programs around a variety of resources, funding and organizations, states and communities will build sustainable programs and achieve sustainable outcomes. A strategic plan that dynamically responds to changing issues, data, priorities, and resources is more likely to achieve long term results.

Sharing information gathered during the evaluation stage with key stakeholders, forging partnerships and encouraging creative collaboration all enhance sustainability.

**Cultural Competence: Planners need to recognize the needs, styles, values and beliefs of the recipients of prevention efforts.** Culturally competent prevention strategies use interventions, evaluations and communication strategies appropriate to their intended community. Cultural issues reflect a range of influences and are not just a matter of ethnic or racial identity. Learning to communicate with audiences from diverse geographic, cultural, economic, social, and linguistic backgrounds can increase program efficacy and ensure sustainable results.

Whether enlisting extended family networks as a prevention resource for single parent households, or ensuring there are resources available to bridge language gaps, cultural competency will help you recognize differences in prevention needs and tailor prevention approaches accordingly.

A one-size-fits-all program is less effective than a program that works with knowledgeable people from the community to develop focused interventions, communication, and support and draws on community-based values and traditions.

# APPENDIX A: CHANGES BETWEEN PNA ADMINISTRATIONS

As new issues come to the forefront and new prevention modalities are implemented, the SHARP PNA survey evolves to reflect these concerns.

## Weighting procedures for 2023

The weighting procedure used for the 2023 SHARP is the same procedure used since 2015. It starts with a school-level weighting procedure. At the district level and above, Bach Harrison analysts apply a raking ratio estimation, which is a method for adjusting the sampling weights of the sample data based on known population characteristics. This helps ensure that the survey sample reflects the total population of Utah students on grade, gender, and race/ethnicity. For more detailed information on the weighting procedure consult the Comprehensive State Report (to be released in late fall 2023).

## New Items for 2023

A new question was added to assess social determinants of health.

*This past year, did you experience any of the following? (Mark ALL that apply.)*

- *One or more people living in my home lost their job*
- *I had to move or change homes in the past year*
- *Skipped one or more meals because my family didn't have enough money to buy food*
- *I had difficulty keeping up with schoolwork because I didn't have access to a reliable computer or internet service*
- *I did not have a quiet place at home to study*
- *None of these*

Additional items added to the 2023 survey were as follows:

*During the past year, did you drink alcohol at any of the following places? (Mark the number of times for each.)*

*During the past 30 days, how did you use marijuana? (Mark ALL that apply.)*

Complete response options for new questions can be found in Appendix F: Item Dictionary.

## Adjustments to Response Options

The vape products/types question was segmented into two questions:

- *vape products containing nicotine (such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)*
- *vape products containing marijuana*

For the lifetime and 30-day tobacco questions, a new category was added to both:

- *nicotine lozenges (small hard or soft tablets containing nicotine that slowly dissolve in the mouth such as Velo or Rogue)?*

For the question regarding perceived sibling substance use and the question regarding perceived peer use of substances, the question was included to ask about perceived use of:

- *a vape product (e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars).*

## Other Survey Removals and Changes

The following questions were removed from the 2023 SHARP PNA:

*If you used alcohol the past year (12 months), how did you get it? (Mark all that apply.) (This question has been shifted to an every-other-year administration schedule.)*

*If you used a vape product such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars in the past 12 months, what did you put in it? (Mark ALL that apply.)*

*If you used a vape product (e-cigarettes, vape pens, or mods, or pod vapes like JUUL or Puff Bars) in the past 30 days, where did you use it? (Mark ALL that apply.)*

*This past year, many youth and families in Utah were affected by the Coronavirus (also known as COVID-19). Did you experience any of the following due to the coronavirus or coronavirus symptoms? (Select one or more responses).*

*How much do you agree or disagree with the following statement:  
"My learning improved when my classes were taught online due to  
COVID-19?"*

*How much do you agree or disagree with the following statements  
about LEARNING ONLINE:*

To review past changes to the SHARP PNA (e.g. differences between and additions to the 2017, 2019 and 2021 surveys), please contact Bach Harrison.

# APPENDIX B: SUBSTANCE USE AND PERCEIVED PARENTAL ACCEPTABILITY

Even a small amount of perceived parental acceptability can lead to substance use.

When parents have favorable attitudes toward drugs, they influence the attitudes and behavior of their children. For example, parental approval of moderate drinking, even under parental supervision, substantially increases the risk of the young person using alcohol. Further, in families where parents involve children in their own drug or alcohol behavior, for example, asking the child to light the parent’s cigarette or to get the parent a beer, there is an increased likelihood that their children will become drug users in adolescence.

In the 2023 SHARP PNA Survey, students were asked how wrong their parents felt it was to use alcohol, marijuana, cigarettes, or prescription drugs not prescribed to them. The table below displays lifetime and past 30 days use rates in relation to parents’ acceptance of alcohol, marijuana, cigarette, or prescription drug abuse.

In 2023, 90.6% of Utah students indicated that their parents felt it was “Very wrong” for them to use alcohol. The data show that, of those students, relatively few (8.0% lifetime, 1.9% 30-day) actually used alcohol. In contrast, of the 6.8% who marked that their parents agree with use somewhat (i.e. the parent only believes that it is “Wrong,” not “Very Wrong”), 35.4% of these students indicated lifetime alcohol use and 12.0% of these students indicated 30-day alcohol use. Similar findings can be observed regarding marijuana, cigarette, and prescription drug use.

The table below illustrates how even a small amount of perceived parental acceptability can lead to substance use. These results make a strong argument for the importance of parents having strong and clear standards and rules when it comes to ATOD use.

How wrong do your parents feel it would be for YOU to:	Student has used:	
	Alcohol (lifetime use)	Alcohol (past 30 days)
drink beer, wine, or hard liquor regularly?		
Very Wrong	8.0%	1.9%
Wrong	35.4%	12.0%
A Little Bit Wrong	58.6%	30.9%
Not Wrong At All	59.1%	38.9%
smoke marijuana?	Marijuana (lifetime use)	Marijuana (past 30 days)
Very Wrong	6.4%	2.6%
Wrong	28.7%	14.3%
A Little Bit Wrong	56.0%	33.4%
Not Wrong At All	64.5%	45.6%
smoke cigarettes?	Cigarettes (lifetime use)	Cigarettes (past 30 days)
Very Wrong	4.1%	0.5%
Wrong	16.5%	2.4%
A Little Bit Wrong	36.8%	15.5%
Not Wrong At All	55.9%	18.1%
use prescription drugs not prescribed to you?	Prescription drugs (lifetime use)	Prescription drugs (past 30 days)
Very Wrong	4.2%	1.2%
Wrong	15.1%	4.3%
A Little Bit Wrong	36.7%	19.6%
Not Wrong At All	27.8%	14.4%

# APPENDIX C: DRUG FREE COMMUNITIES DATA

Core Measure	Definition	Substance	6th		8th		10th		12th		Male		Female	
			Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample	Percent	Sample
Perception of Risk* (People are at Moderate or Great Risk of harming themselves if they...)	take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day	Regular drinking	70.5	1,488	80.9	1,473	82.8	993	79.5	386	76.4	2,031	80.7	2,260
	take five or more drinks of an alcoholic beverage once or twice a week	Binge drinking	72.3	1,499	82.0	1,482	86.4	996	81.8	387	79.6	2,048	81.8	2,267
	smoke one or more packs of cigarettes per day	Tobacco	78.3	1,507	86.6	1,485	87.8	994	84.3	388	84.7	2,050	83.8	2,275
	smoke marijuana regularly	Marijuana	66.7	1,447	76.4	1,470	73.6	989	61.1	388	65.9	2,015	73.5	2,233
	use prescription drugs that are not prescribed to them	Prescription drugs	77.2	1,483	85.6	1,466	87.6	992	88.8	385	83.7	2,027	86.0	2,250
	use vape products such as e-Cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars?	e-Cigarettes/vaping	77.2	1,459	86.1	1,458	87.3	990	88.7	387	83.1	2,017	86.7	2,229
Perception of Parental Disapproval* (Parents feel it would be Wrong or Very Wrong to...)	have one or two drinks of an alcoholic beverage nearly every day	Alcohol	99.3	1,477	98.6	1,433	99.4	950	97.0	376	99.0	1,974	98.1	2,217
	smoke cigarettes	Tobacco	99.3	1,484	98.6	1,436	99.4	953	99.3	379	98.8	1,987	99.5	2,218
	smoke marijuana	Marijuana	99.6	1,475	98.2	1,430	97.2	951	93.3	378	96.7	1,976	97.6	2,211
	use prescription drugs not prescribed to you	Prescription drugs	99.3	1,471	99.3	1,431	99.0	949	98.9	376	99.0	1,968	99.2	2,213
	use vape products such as e-Cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars?	e-Cigarettes/vaping	99.4	1,468	98.6	1,421	96.9	948	97.0	375	98.1	1,955	97.9	2,210
Perception of Peer Disapproval* (Friends feel it would be Wrong or Very Wrong to...)	have one or two drinks of an alcoholic beverage nearly every day	Alcohol	97.8	1,486	94.6	1,443	92.6	958	90.8	377	94.3	1,991	93.8	2,225
	smoke tobacco	Tobacco	98.4	1,482	95.9	1,442	94.6	958	92.2	377	95.2	1,992	95.5	2,219
	smoke marijuana	Marijuana	97.7	1,481	93.3	1,442	86.7	955	84.1	376	89.7	1,991	91.5	2,215
	use prescription drugs not prescribed to you	Prescription drugs	98.0	1,476	97.3	1,441	95.6	958	97.1	376	96.7	1,986	97.3	2,218
Past 30-Day Use* (at least one use in the past 30 days)	had beer, wine, or hard liquor	Alcohol	0.5	1,514	1.2	1,461	4.7	976	8.3	385	2.7	2,032	4.6	2,254
	smoked cigarettes	Tobacco	0.2	1,497	0.2	1,452	1.2	970	0.5	378	0.6	2,012	0.4	2,235
	used marijuana	Marijuana	0.6	1,513	2.0	1,477	8.9	989	11.2	385	5.3	2,049	5.9	2,264
	combined results of prescription stimulant/sedative/ narcotics questions	Prescription drugs	1.7	1,501	1.7	1,482	1.7	992	0.4	387	0.9	2,048	2.0	2,264

\* For Past 30-Day Use, Perception of Risk, and Perception of Parental/Peer Disapproval, the "Sample" column represents the sample size - the number of people who answered the question and whose responses were used to determine the percentage. The "Percent" column represents the percentage of youth in the sample answering the question as specified in the definition.

# APPENDIX D: CONTACTS FOR PREVENTION

## National Contacts

**National Institute on Alcohol Abuse and Alcoholism**  
<https://www.niaaa.nih.gov>

**National Clearinghouse for Alcohol and Drug Information**  
<https://store.samhsa.gov>

**The National Institute on Drug Abuse (NIDA) Drugs of Abuse Information Clearinghouse**  
<https://www.drugabuse.gov/drugs-abuse>

**Center for Substance Abuse Prevention**  
<https://www.samhsa.gov/prevention>

**Monitoring the Future**  
<http://monitoringthefuture.org>

**National Survey on Drug Use and Health**  
<https://nsduhweb.rti.org/respweb/homepage.cfm>

## State Contacts

**Utah Department of Health and Human Services**  
195 N. 1950 W.  
Salt Lake City, UT 84116  
<https://dhhs.utah.gov>

Rob Timmerman  
Program Manager  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-228-5034  
[rtimmerman@utah.gov](mailto:rtimmerman@utah.gov)

David Watkins  
Program Administrator  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-226-6125  
[dwatkins@utah.gov](mailto:dwatkins@utah.gov)

Heidi Peterson Dutson  
Prevention Administrator and Regional Director  
288 N. 1460 W.  
Salt Lake City, UT 84116  
801-842-2674  
[hdutson@utah.gov](mailto:hdutson@utah.gov)

Elise Hardy  
Program Administrator  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-315-7836  
[elisehardy@utah.gov](mailto:elisehardy@utah.gov)

Janae Duncan  
Director  
Division of Population Health  
**288 N. 1460 W.**  
Salt Lake City, UT 84116  
385-280-0312  
[janaeduncan@utah.gov](mailto:janaeduncan@utah.gov)

Amanda Smith  
Deputy State Epidemiologist  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-454-5071  
[arsmith@utah.gov](mailto:arsmith@utah.gov)

Jenny Johnson  
Assistant Director of Communications  
195 North 1950 West  
Salt Lake City, UT 84116  
385-290-7826  
[Jennyjohnson@utah.gov](mailto:Jennyjohnson@utah.gov)

Mercedes Rodriguez  
Health Program Coordinator  
288 N. 1460 W.  
Salt Lake City, UT 84116  
801-538-6159  
[myrodriguez@utah.gov](mailto:myrodriguez@utah.gov)

Ryan Carrier  
Research Consultant  
288 N. 1460 W.  
Salt Lake City, UT 84116  
801-889-8710  
[rcarrier@utah.gov](mailto:rcarrier@utah.gov)

Eric Tadehara  
Assistant Director  
Office of Substance Use and Mental Health  
288 N. 1460 W.  
Salt Lake City, UT 84116  
801-699-0895  
[erictadehara@utah.gov](mailto:erictadehara@utah.gov)

Anna Fondario  
Director  
Office of Health Promotion and Prevention  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-258-8537  
[afondario@utah.gov](mailto:afondario@utah.gov)

Sarah Hodson  
Deputy Director  
Office of Health Promotion and Prevention  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-256-4461  
[arsmith@utah.gov](mailto:arsmith@utah.gov)

Claudia Bohner  
Epidemiologist  
288 N. 1460 W.  
Salt Lake City, UT 84116  
801-538-9274  
[cbohner@utah.gov](mailto:cbohner@utah.gov)

Wei Beadles  
Epidemiologist  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-266-4529  
[whou@utah.gov](mailto:whou@utah.gov)

## Regional Directors

### **Salt Lake, Summit, Utah, and Wasatch Counties**

Caryn Coltrin  
South Redwood Health Center  
7971 South Redwood Road  
West Jordan, UT 84088  
385-486-5320

### **Beaver, Garfield, Iron, Juab, Kane, Millard, Piute, Sanpete, Sevier, and Washington Counties**

Logan Reid  
Southwest Prevention  
474 West 200 North  
St. George, UT 84780  
435-867-7622  
[lreid@sbhcutah.org](mailto:lreid@sbhcutah.org)

### **Box Elder, Cache, Davis, Morgan, Rich, and Weber Counties**

Jess Brewer  
Weber Human Services  
237 26th Street  
Ogden, UT 84401  
435-799-1167  
[jessb@weberhs.org](mailto:jessb@weberhs.org)

### **Carbon, Emery, Grand, and San Juan Counties**

David Watkins  
288 N. 1460 W.  
Salt Lake City, UT 84116  
385-226-6125  
[dwatkins@utah.gov](mailto:dwatkins@utah.gov)

### **Duchesne, Tooele, and Uintah Counties**

Heidi Peterson Dutson  
288 N. 1460 W.  
Salt Lake City, UT 84116  
801-842-2674  
[hdutson@utah.gov](mailto:hdutson@utah.gov)



## Local Substance Abuse Authority/ County Level Providers

See <https://sumh.utah.gov/> for contact information for prevention efforts in your neighborhood.

### **Bear River**

Annie Parker  
Bear River Health Department  
655 East 1300 North  
Logan, UT 84341  
435-792-6509  
[aparker@brhd.org](mailto:aparker@brhd.org)

### **Central**

Elizabeth Hinckley  
Central Utah Counseling Center  
390 West 100 North  
Ephraim, UT 84627  
435-896-8236  
[elizabethh@cucc.us](mailto:elizabethh@cucc.us)

### **Davis**

Amelia Williams  
Davis Behavioral Health  
934 South Main Street  
Layton, UT 84041  
801-497-1474  
[ameliaw@dbhutah.org](mailto:ameliaw@dbhutah.org)

### **Four Corners**

Taylor Passarella  
Four Corners Community Behavioral Health  
105 W 100 N  
Price, Utah 84501  
435-613-2177  
[tpassarella@fourcorners.ws](mailto:tpassarella@fourcorners.ws)

### **Northeastern**

Catherine Jurado  
Northeastern Counseling Center  
285 West 800 South  
Roosevelt, UT 84066  
435-725-6334  
[catherinej@nccutah.org](mailto:catherinej@nccutah.org)

### **Salt Lake**

Alysa Stuart  
Salt Lake County South Redwood Public Health  
Center  
7971 S 1825 W  
West Jordan, UT 84088  
385-226-2639  
[astuart@slco.org](mailto:astuart@slco.org)

### **San Juan**

Alyn Mitchell  
San Juan Counseling  
735 South 200 West Suite 1  
Blanding, UT 84511  
435-485-1020  
[amitchell@sanjuancc.org](mailto:amitchell@sanjuancc.org)

### **Southwest**

Logan Reid  
Southwest Prevention  
474 West 200 North  
St. George, UT 84780  
435-867-7622  
[lreid@sbhcutah.org](mailto:lreid@sbhcutah.org)

### **Summit**

Pamella Bello-Straus  
Summit County Health Department  
650 Round Valley Dr.  
Park City, UT 84060  
435-333-1551  
[pbello@summitcounty.org](mailto:pbello@summitcounty.org)

### **Tooele**

Peter Clegg  
Tooele County Health Department  
151 North Main Street  
Tooele, UT 84074  
435-277-2363  
[pclegg@tooelehealth.org](mailto:pclegg@tooelehealth.org)

**Utah County**

Heather Lewis  
Utah County Health Department  
151 South University Avenue, Suite 2204  
Provo, UT 84601  
801-851-7188  
[heatherl@utahcounty.gov](mailto:heatherl@utahcounty.gov)

**Wasatch**

Trudy Brereton  
Wasatch Mental Health  
55 South 500 East  
Heber, UT 84032  
435-657-3228  
[trudyb@wasatch.org](mailto:trudyb@wasatch.org)

**Weber**

Jason Skinner  
Weber Human Services  
237 26<sup>th</sup> Street  
Ogden, UT 84401  
801-625-3679  
[jasons@weberhs.org](mailto:jasons@weberhs.org)

**This Report Was Prepared for the State of Utah  
by Bach Harrison LLC**

<http://www.bach-harrison.com>  
R. Steven Harrison, Ph.D.  
Mary VanLeeuwen Johnstun, M.A.  
R. Paris Bach-Harrison, B.F.A.  
G. Apollo Bach-Harrison, B.F.A.

# APPENDIX E: RISK AND PROTECTIVE SCALE DEFINITIONS

An explanation of the scales that measure the risk and protective factors shown in the profiles

## Community Domain Risk Factors

**Low Neighborhood Attachment** – Low neighborhood bonding is related to higher levels of juvenile crime and drug selling.

**Laws and Norms Favorable Toward Drug Use** – Research has shown that legal restrictions on alcohol and tobacco use, such as raising the legal drinking age, restricting smoking in public places, and increased taxation have been followed by decreases in consumption. Moreover, national surveys of high school seniors have shown that shifts in normative attitudes toward drug use have preceded changes in prevalence of use.

**Perceived Availability of Drugs and Handguns** – The availability of cigarettes, alcohol, marijuana, and other illegal drugs has been related to the use of these substances by adolescents. The availability of handguns is also related to a higher risk of crime and substance use by adolescents.

## Community Domain Protective Factors

**Rewards for Prosocial Involvement** – Rewards for positive participation in activities helps youth bond to the community, thus lowering their risk for substance use.

## Family Domain Risk Factors

**Poor Family Management** – Parents' use of inconsistent and/or unusually harsh or severe punishment with their children places them at higher risk for substance use and other problem behaviors. Also, parents' failure to provide clear expectations and to monitor their children's behavior makes it more likely that they will engage in drug abuse whether or not there are family drug problems.

**Family Conflict** – Children raised in families high in conflict, whether or not the child is directly involved in the conflict, appear at risk for both delinquency and drug use.

**Family History of Antisocial Behavior** – When children are raised in a family with a history of problem behaviors (e.g., violence or ATOD use), the children are more likely to engage in these behaviors.

**Parental Attitudes Favorable Toward Antisocial Behavior & Drugs** – In families where parents use illegal drugs, are heavy users of alcohol, or are tolerant of children's use, children are more likely to become drug abusers during adolescence. The risk is further increased if parents involve children in their own drug (or alcohol) using behavior, for example, asking the child to light the parent's cigarette or get the parent a beer from the refrigerator.

## Family Domain Protective Factors

**Family Attachment** – Young people who feel that they are a valued part of their family are less likely to engage in substance use and other problem behaviors.

**Opportunities for Prosocial Involvement** – Young people who are exposed to more opportunities to participate meaningfully in the responsibilities and activities of the family are less likely to engage in drug use and other problem behaviors.

**Rewards for Prosocial Involvement** – When parents, siblings, and other family members praise, encourage, and attend to things done well by their child, children are less likely to engage in substance use and problem behaviors.

## School Domain Risk Factors

**Academic Failure** – Beginning in late elementary (grades 4-6) academic failure increases the risk of both drug abuse and delinquency. It appears that the experience of failure itself, for whatever reasons, increases the risk of problem behaviors.

**Low Commitment to School** – Surveys of high school seniors have shown that the use of drugs is significantly lower among students who expect to attend college than among those who do not. Factors such as liking school, spending time on homework, and perceiving the coursework as relevant are also negatively related to drug use.

## School Domain Protective Factors

**Opportunities for Prosocial Involvement** – When young people are given more opportunities to participate meaningfully in important activities at school, they are less likely to engage in drug use and other problem behaviors.

**Rewards for Prosocial Involvement** – When young people are recognized and rewarded for their contributions at school, they are less likely to be involved in substance use and other problem behaviors.

## Peer-Individual Risk Factors

**Rebelliousness** – Young people who do not feel part of society, are not bound by rules, don't believe in trying to be successful or responsible, or who take an active rebellious stance toward society, are at higher risk of abusing drugs. In addition, high tolerance for deviance, a strong need for independence and normlessness have all been linked with drug use.

**Early Initiation of Antisocial Behavior and Drug Use** – Early onset of drug use predicts misuse of drugs. The earlier the onset of any drug use, the greater the involvement in other drug use and the greater frequency of use. Onset of drug use prior to the age of 15 is a consistent predictor of drug abuse, and a later age of onset of drug use has been shown to predict lower drug involvement and a greater probability of discontinuation of use.

**Attitudes Favorable Toward Antisocial Behavior and Drug Use** – During the elementary school years, most children express anti-drug, anti-crime, and pro-social attitudes and have difficulty imagining why people use drugs or engage in antisocial behaviors. However, in middle school, as more youth are exposed to others who use drugs and engage in antisocial behavior, their attitudes often shift toward greater acceptance of these behaviors. Youth who express positive attitudes toward drug use and antisocial behavior are more likely to engage in a variety of problem behaviors, including drug use.

**Perceived Risk of Drug Use** – Young people who do not perceive drug use to be risky are far more likely to engage in drug use.

**Interaction with Antisocial Peers** – Young people who associate with peers who engage in problem behaviors are at higher risk for engaging in antisocial behavior themselves.

**Friends' Use of Drugs** – Young people who associate with peers who engage in alcohol or substance abuse are much more likely to engage in the same behavior. Peer drug use has consistently been found to be among the strongest predictors of substance use among youth. Even when young people come from well-managed families and do not experience other risk factors, spending time with friends who use drugs greatly increases the risk of that problem developing.

**Rewards for Antisocial Behavior** – Young people who receive rewards for their antisocial behavior are at higher risk for engaging further in antisocial behavior and substance use.

**Depressive Symptoms** – Young people who are depressed are overrepresented in the criminal justice system and are more likely to use drugs. Survey research and other studies have shown a link between depression and other youth problem behaviors.

**Gang Involvement** – Youth who belong to gangs are more at risk for antisocial behavior and drug use.

## Peer-Individual Protective Factors

**Belief in the Moral Order** – Young people who have a belief in what is “right” or “wrong” are less likely to use drugs.

**Interaction with Prosocial Peers** – Young people who associate with peers who engage in prosocial behavior are more protected from engaging in antisocial behavior and substance use.

**Prosocial Involvement** – Participation in positive school and community activities helps provide protection for youth.

**Rewards for Prosocial Involvement** – Young people who are rewarded for working hard in school and the community are less likely to engage in problem behavior.

# APPENDIX F: ITEM DICTIONARY

## DEMOGRAPHICS

How old are you?

10 or younger

11

12

13

14

15

16

17

18

19 or older

What grade are you in?

6th

7th

8th

9th

10th

11th

12th

What is your race? (Select one or more)

American Indian or Alaska Native

Asian

Black or African American

Hispanic or Latino

Native Hawaiian or Other Pacific  
Islander

White

Are you:

Male

(Revised in 2019, then reverted to the 2017 question format in 2021. 2017 text included response options for transgender and other.)

Female

Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?

No, I am not transgender

I am not sure if I am transgender

I do not know what this question  
is asking

(New for 2021. Omitted in 6th grade survey.)

Yes, I am transgender

Which of the following best describe you?  
(Omitted on 6th grade survey.)

Heterosexual (straight)  
Gay or lesbian  
Bisexual  
Not sure

Think of where you live most of the time. Which of the following people live there with you? (Mark all that apply)

See questionnaire for complete list of family members

Think of the adults you live with. What is the highest level of schooling any of them completed?

See questionnaire for complete list of school completion categories

## COMMUNITY: Low neighborhood Attachment

If I had to move, I would miss the neighborhood I now live in.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

I like my neighborhood.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

I'd like to get out of my neighborhood.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

## COMMUNITY: Laws and Norms Favorable to Drug Use

How wrong would most adults in your neighborhood think it was for kids your age:

To use marijuana.

Very Wrong  
Wrong  
A little bit wrong  
Not wrong at all

to drink alcohol.

Very Wrong  
Wrong  
A little bit wrong  
Not wrong at all

to smoke cigarettes.

Very Wrong  
Wrong  
A little bit wrong  
Not wrong at all

If a kid smoked marijuana in your neighborhood would he or she be caught by the police?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

If a kid drank some beer, wine, or hard liquor (for example, vodka, whiskey, or tequila) in your neighborhood, would he or she be caught by the police?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

If a kid carried a handgun in your neighborhood would he or she be caught by the police?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

## COMMUNITY: Perceived Availability of Drugs

If you wanted to get some cigarettes, how easy would it be for you to get some?

Very hard  
Sort of Hard  
Sort of easy  
Very easy

If you wanted to get some beer, wine, or hard liquor (for example, vodka, whiskey, or tequila), how easy would it be for you to get some?

Very hard  
Sort of Hard  
Sort of easy  
Very easy

If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

Very hard  
Sort of Hard  
Sort of easy  
Very easy

If you wanted to get some marijuana, how easy would it be for you to get some?

Very hard  
Sort of Hard  
Sort of easy  
Very easy



## COMMUNITY: Perceived Availability of Handguns

If you wanted to get a handgun, how easy would it be for you to get one?

Very hard  
Sort of Hard  
Sort of easy  
Very easy

## COMMUNITY: Rewards for Prosocial Involvement

My neighbors notice when I am doing a good job and let me know about it.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

There are people in my neighborhood who are proud of me when I do something well.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

There are people in my neighborhood who encourage me to do my best.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

## FAMILY: Poor Family Management

My parents ask if I've gotten my homework done.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

Would your parents know if you did not come home on time?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

The rules in my family are clear

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

When I am not at home, one of my parents knows where I am and who I am with.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

If you drank some beer or wine or liquor (for example, vodka, whiskey, or gin) without your parents' permission, would you be caught by your parents?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

My family has clear rules about alcohol and drug use.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

If you carried a handgun without your parents' permission, would you be caught by your parents?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

If you skipped school would you be caught by your parents?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

## FAMILY: Family Conflict

People in my family often insult or yell at each other.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

We argue about the same things in my family over and over.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

People in my family have serious arguments.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

## FAMILY: Family History of Antisocial Behavior

Has anyone in your family ever had severe alcohol or drug problems?	No Yes
Have any of your brothers or sisters ever:	
drunk beer, wine, or hard liquor (for example, vodka, whiskey, or tequila)?	No Yes I don't have any brothers or sisters
smoked marijuana?	No Yes I don't have any brothers or sisters
smoked cigarettes?	No Yes I don't have any brothers or sisters
taken a handgun to school?	No Yes I don't have any brothers or sisters
been suspended or expelled from school?	No Yes I don't have any brothers or sisters
used a vape product (e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)?	No Yes I don't have any brothers or sisters
About how many adults (over 21, if any) have you known personally who in the past year have:	
used marijuana, crack cocaine, or other drugs?	0 1 adult 2 adults 3- 4 adults 5 + adults

sold or dealt drugs?	0 1 adult 2 adults 3- 4 adults 5 + adults
done other things that could get them in trouble with the police, like stealing, selling stolen goods, mugging or assaulting others, etc?	0 1 adult 2 adults 3- 4 adults 5 + adults
gotten drunk or high?	0 1 adult 2 adults 3- 4 adults 5 + adults

## FAMILY: Parental Attitudes Favorable Toward Drug Use

How wrong do your parents feel it would be for YOU to:

drink beer, wine, or hard liquor (for example, vodka, whiskey, or tequila) regularly?	Very wrong Wrong A little bit wrong Not wrong at all
smoke cigarettes?	Very wrong Wrong A little bit wrong Not wrong at all
smoke marijuana?	Very wrong Wrong A little bit wrong Not wrong at all

## FAMILY: Parental Attitudes Favorable Toward Antisocial Behavior

steal anything worth more than \$5?

Very wrong  
Wrong  
A little bit wrong  
Not wrong at all

draw graffiti, or write things, or draw pictures on buildings or other property (without the owner's permission)?

Very wrong  
Wrong  
A little bit wrong  
Not wrong at all

pick a fight with someone?

Very wrong  
Wrong  
A little bit wrong  
Not wrong at all

## FAMILY: Attachment

Do you feel very close to your mother?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

Do you share your thoughts and feeling with your mother?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

Do you feel very close to your father?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

Do you share your thoughts and feeling with your father?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

## FAMILY: Opportunities for Prosocial Involvement

My parents ask me what I think before most family decisions affecting me are made.	Definitely No Somewhat No Somewhat Yes Definitely Yes
If I had a personal problem, I could ask my mom or dad for help.	Definitely No Somewhat No Somewhat Yes Definitely Yes
My parents give me lots of chances to do fun things with them.	Definitely No Somewhat No Somewhat Yes Definitely Yes

## FAMILY: Rewards for Prosocial Involvement

Do you enjoy spending time with your mother?	Definitely No Somewhat No Somewhat Yes Definitely Yes
Do you enjoy spending time with your father?	Definitely No Somewhat No Somewhat Yes Definitely Yes
My parents notice when I am doing a good job and let me know about it.	Never or almost never Sometimes Often All the time
How often do your parents tell you they're proud of you for something you've done?	Never or almost never Sometimes Often All the time

## SCHOOL: Academic Failure

Are your school grades better than the grades of most students in your class?	Definitely No Somewhat No Somewhat Yes Definitely Yes
Putting them all together, what were your grades like last year?	Mostly F's Mostly D's Mostly C's Mostly B's Mostly A's

## SCHOOL: Little Commitment to School

How often do you feel that the school work you are assigned is meaningful and important?	Almost Always Often Sometimes Seldom Never
How important do you think the things you are learning in school are going to be for your later life?	Very important Quite important Fairly important Slightly important Not at all important
How interesting are most of your courses to you?	Very interesting & stimulating Quite interesting Fairly interesting Slightly interesting Not at all interesting

Now, thinking back over the past year in school, how often did you...

enjoy being in school?	Never Seldom Sometimes Often Almost Always
------------------------	--

hate being in school?	Never Seldom Sometimes Often Almost Always
try to do your best work in school?	Never Seldom Sometimes Often Almost Always
During the last four weeks, how many (if any) whole days of school have you missed because you skipped or "cut"	None 1 2 3 4-5 6-10 11 or more days

## SCHOOL: Opportunities for Prosocial Involvement

In my school, students have lots of chances to help decide things like class activities and rules.	Definitely No Somewhat No Somewhat Yes Definitely Yes
Teachers ask me to work on special classroom projects.	Definitely No Somewhat No Somewhat Yes Definitely Yes
There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.	Definitely No Somewhat No Somewhat Yes Definitely Yes
There are lots of chances for students in my school to talk with a teacher one-on-one.	Definitely No Somewhat No Somewhat Yes Definitely Yes



I have lots of chances to be part of class discussions or activities.	Definitely No Somewhat No Somewhat Yes Definitely Yes
---	--

## SCHOOL: Rewards for Prosocial Involvement

My teachers notice when I am doing a good job and lets me know about it.	Definitely No Somewhat No Somewhat Yes Definitely Yes
--	--

I feel safe at my school.	Definitely No Somewhat No Somewhat Yes Definitely Yes
---------------------------	--

The school lets my parents know when I have done something well.	Definitely No Somewhat No Somewhat Yes Definitely Yes
--	--

My teachers praise me when I work hard in school.	Definitely No Somewhat No Somewhat Yes Definitely Yes
---	--

## PEER-INDIVIDUAL: Rebelliousness

I do the opposite of what people tell me, just to get them mad.	Very False Somewhat False Somewhat True Very True
---	--

I like to see how much I can get away with.	Very False Somewhat False Somewhat True Very True
---	--

I ignore the rules that get in my way.

Very False  
Somewhat False  
Somewhat True  
Very True

## PEER-INDIVIDUALS: Early Initiation of Drug Use

If ever, how old were you when you first:

used marijuana (grass, pot, cannabis, weed) or hashish  
(hash, hash oil)?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

smoked a cigarette, even just a puff?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

had more than a sip or two of beer, wine, or hard liquor  
(for example, vodka, whiskey, or tequila)?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

began drinking alcoholic beverages regularly, that is, at least once or twice a month?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

## PEER-INDIVIDUALS: Early Initiation of Antisocial Behavior

If ever, how old were you when you first:

got suspended from school?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

got arrested?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

carried a handgun?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

attacked someone with the idea of seriously hurting them?

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

## PEER-INDIVIDUALS: Favorable Attitudes Toward Antisocial Behavior

How wrong do you think it is for someone your age to...

take a handgun to school?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

steal anything worth more than \$5?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

pick a fight with someone?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

attack someone with the idea of seriously hurting them?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

stay away from school all day when their parents think they are at school?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

## PEER-INDIVIDUALS: Favorable Attitudes Toward Drug Use

How wrong do you think it is for someone your age to:

drink beer, wine, or hard liquor (for example, vodka, whiskey, or tequila) regularly?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

smoke cigarettes?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

smoke marijuana?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

use LSD, cocaine, amphetamines or another illegal drug?

Very Wrong  
Wrong  
A Little Bit Wrong  
Not Wrong at All

## PEER-INDIVIDUALS: Perceived Risks of Drug Use

How much do you think people risk harming themselves (physically or in other ways) if they:

Smoke one or more packs of cigarettes per day?	No Risk Slight Risk Moderate Risk Great Risk
Try marijuana once or twice?	No Risk Slight Risk Moderate Risk Great Risk
Smoke marijuana regularly?	No Risk Slight Risk Moderate Risk Great Risk
Take one or two drinks of an alcoholic beverage (beer, wine, liquor) nearly every day.	No Risk Slight Risk Moderate Risk Great Risk

## PEER-INDIVIDUALS: Interaction with Antisocial Peers

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have:

been suspended from school?	0 1 2 3 4
carried a handgun?	0 1 2 3 4

sold illegal drugs?	0
	1
	2
	3
	4
stolen or tried to steal a motor vehicle such as a car or motorcycle?	0
	1
	2
	3
	4
been arrested?	0
	1
	2
	3
	4
dropped out of school?	0
	1
	2
	3
	4

## PEER-INDIVIDUALS: Friends' Use of Drugs

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have:

smoked cigarettes?	0
	1
	2
	3
	4
tried beer, wine, or hard liquor (for example, vodka, whiskey, or tequila) when their parents didn't know about it?	0
	1
	2
	3
	4

used marijuana?	0
	1
	2
	3
	4
used LSD, cocaine, amphetamines or another illegal drugs?	0
	1
	2
	3
	4

## PEER-INDIVIDUALS: Rewards for Antisocial Involvement

What are the chances you would be seen as cool if you:

smoked cigarettes?	No or Very Little Chance
	Little Chance
	Some Chance
	Pretty Good Chance
	Very Good Chance
began drinking alcoholic beverages regularly, that is, at least once or twice a month?	No or Very Little Chance
	Little Chance
	Some Chance
	Pretty Good Chance
	Very Good Chance
smoked marijuana?	No or Very Little Chance
	Little Chance
	Some Chance
	Pretty Good Chance
	Very Good Chance
carried a handgun?	No or Very Little Chance
	Little Chance
	Some Chance
	Pretty Good Chance
	Very Good Chance



## PEER-INDIVIDUALS: Gang Involvement scale

Have you ever belonged to a gang?

No, but would like to  
No  
Yes, in the past  
Yes, belong now  
Yes, but would like to get out

## PEER-INDIVIDUALS: Depressive Symptoms

Sometimes I think that life is not worth it.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

At times I think I am no good at all.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

All in all, I am inclined to think that I am a failure.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

In the past year have you felt depressed or sad MOST days, even if you felt OK sometimes?

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

## PEER-INDIVIDUALS: Belief in Moral Order

I think sometimes it's okay to cheat at school.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

I think it is okay to take something without asking if you can get away with it.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

It is all right to beat up people if they start the fight.	Definitely No Somewhat No Somewhat Yes Definitely Yes
It is important to be honest with your parents, even if they become upset or you get punished.	Definitely No Somewhat No Somewhat Yes Definitely Yes

## PEER-INDIVIDUALS: Prosocial Involvement

If ever, how many times in the past year (12 months) have you:

participated in clubs, organizations and activities at school?	Never 1 or 2 times 3-5 6-9 10-19 20-29 30-39 40+
done extra work on your own for school?	Never 1 or 2 times 3-5 6-9 10-19 20-29 30-39 40+
volunteered to do community service?	Never 1 or 2 times 3-5 6-9 10-19 20-29 30-39 40+

## PEER-INDIVIDUALS: Rewards for Prosocial Involvement

What are the chances you would be seen as cool if you:

worked hard in school?	Very good chance Pretty good chance Some chance Little chance No or very little chance
defended someone who was being verbally abused at school?	Very good chance Pretty good chance Some chance Little chance No or very little chance
regularly volunteered to do community service?	Very good chance Pretty good chance Some chance Little chance No or very little chance

## PEER-INDIVIDUALS: Interaction with Prosocial Peers

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many (if any) of your best friends have:

participated in clubs, organizations and activities at school?	0
	1
	2
	3
	4
made a commitment to stay drug-free?	0
	1
	2
	3
	4

tried to do well in school?	0
	1
	2
	3
	4
liked school?	0
	1
	2
	3
	4
regularly attended religious services?	0
	1
	2
	3
	4

## DRUG USE

Think back over the last two weeks; if any, how many times have you had five or more alcoholic drinks in a row?	None
	Once
	Twice
	3-5 times
	6-9 times
	10 or more times
If ever, how old were you when you first: used a vape product (e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)?	Never
	10 or younger
	11
	12
	13
	14
	15
	16
	17 or older

On how many occasions (if any) have you had alcoholic beverages (beer, wine or hard liquor) to drink in your lifetime - more than just a few sips?	0 occasions 1-2 3-5 6-9 10-19 20-39 40 or more
On how many occasions (if any) have you had beer, wine or hard liquor during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40 or more
If ever, how old were you when you first: used marijuana (grass, pot, cannabis, weed) or hashish (hash, hash oil).	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used marijuana (grass, pot) or hashish (hash, hash oil) during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above
If ever, how old were you when you first: used LSD (acid) or other hallucinogens (like PCP, mescaline, "shrooms" or psilocybin).	Never 10 or younger 11 12 13 14 15 16 17 or older

On how many occasions (if any) have you used LSD (acid) or other hallucinogens (like PCP, mescaline, "shrooms" or psilocybin during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above
If ever, how old were you when you first: used cocaine (like cocaine powder) or "crack" (cocaine in chunk or rock form)?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used cocaine (like cocaine powder) or "crack" (cocaine in chunk or rock form) during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above
If ever, how old were you when you first: sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you sniffed glue, breathed the contents of an aerosol spray can, or inhaled other gases or sprays, in order to get high during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above

If ever, how old were you when you first: used methamphetamines (meth, speed, crank, crystal meth)?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used methamphetamines (meth, speed, crank, crystal meth) in the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above
If ever, how old were you when you first: used prescription stimulants or amphetamines (such as Adderall, Ritalin, or Dexedrine) without a doctor telling you to take them?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used prescription stimulants or amphetamines (such as Adderall, Ritalin, or Dexedrine) without a doctor telling you to take them, during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above

If ever, how old were you when you first: used prescription sedatives including barbiturates or sleeping pills (such as phenobarbital, Tuinal, Seconal, Ambien, Lunesta, or Sonata) without a doctor telling you to take them?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used prescription sedatives including barbiturates or sleeping pills (such as phenobarbital, Tuinal, Seconal, Ambien, Lunesta, or Sonata) without a doctor telling you to take them, during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above
If ever, how old were you when you first: used prescription tranquilizers (such as Librium, Valium, Xanax, Ativan, Soma, or Klonopin) without a doctor telling you to take them?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used prescription tranquilizers (such as Librium, Valium, Xanax, Ativan, Soma, or Klonopin) without a doctor telling you to take them, during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above



If ever, how old were you when you first: used narcotic prescription drugs (such as OxyContin, methadone, morphine, codeine, Demerol, Vicodin, Percocet) without a doctor telling you to take them?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used narcotic prescription drugs (such as OxyContin, methadone, morphine, codeine, Demerol, Vicodin, Percocet) without a doctor telling you to take them, during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above
If ever, how old were you when you first: used heroin?	Never 10 or younger 11 12 13 14 15 16 17 or older
On how many occasions (if any) have you used heroin during the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above
On how many occasions (if any) have you used steroids or anabolic steroids (such as Anadrol, Oxandrin, Durabolin, Equipoise, or Depotesterone) in the past 30 days?	0 occasions 1-2 3-5 6-9 10-19 20-39 40+ above

During the past 30 days, how did you use marijuana?  
(Mark ALL that apply.)

I did not use marijuana during  
the past 30 days

I smoked it

I ate it (in an edible, candy,  
tincture or other food)

I used a vaporizer

I dabbed it

I used it in some other way

## ANTISOCIAL BEHAVIOR

If ever, how many times in the past year (12 months) have you:

been suspended from school?

Never

1 or 2 times

3-5

6-9

10-19

20-29

30-39

40+

carried a handgun?

Never

1 or 2 times

3-5

6-9

10-19

20-29

30-39

40+

sold illegal drugs?

Never

1 or 2 times

3-5

6-9

10-19

20-29

30-39

40+

stolen or tried to steal a motor vehicle such as a car or motorcycle?	Never 1 or 2 times 3-5 6-9 10-19 20-29 30-39 40+
been arrested?	Never 1 or 2 times 3-5 6-9 10-19 20-29 30-39 40+
attacked someone with the idea of seriously hurting them?	Never 1 or 2 times 3-5 6-9 10-19 20-29 30-39 40+
been drunk or high at school	Never 1 or 2 times 3-5 6-9 10-19 20-29 30-39 40+

taken a handgun to school

Never  
1 or 2 times  
3-5  
6-9  
10-19  
20-29  
30-39  
40+

## NEED FOR TREATMENT

In the past 12 months have you spent more time using alcohol than you intended?

No  
Yes  
Don't Use

In the past 12 months have you spent more time using drugs than you intended?

No  
Yes  
Don't Use

In the past 12 months, have you neglected some of your usual responsibilities because of using alcohol?

No  
Yes  
Don't Use

In the past 12 months, have you neglected some of your usual responsibilities because of using drugs?

No  
Yes  
Don't Use

In the past 12 months, have you wanted to cut down on your alcohol use?

No  
Yes  
Don't Use

In the past 12 months, have you wanted to cut down on your drug use?

No  
Yes  
Don't Use

In the past 12 months, has anyone objected to your alcohol use?

No  
Yes  
Don't Use

In the past 12 months, has anyone objected to your drug use?

No  
Yes  
Don't Use

In the past 12 months, did you frequently find yourself thinking about using alcohol?	No Yes Don't Use
In the past 12 months, did you frequently find yourself thinking about using drugs?	No Yes Don't Use
In the past 12 months, did you use alcohol to relieve feelings such as sadness, anger, or boredom?	No Yes Don't Use
In the past 12 months, did you use drugs to relieve feelings such as sadness, anger, or boredom?	No Yes Don't Use

## UTAH STATE BOARD OF EDUCATION: SCHOOL CLIMATE ITEMS

How worried, if at all, are you about the possibility of each of the following things happening at your school?

Getting bullied	Not at all worried Not too worried Somewhat worried Very worried
Gun violence or active shooter situation	Not at all worried Not too worried Somewhat worried Very worried
Suicide by a student	Not at all worried Not too worried Somewhat worried Very worried
Gang activity	Not at all worried Not too worried Somewhat worried Very worried

Students using alcohol or drugs	Not at all worried Not too worried Somewhat worried Very worried
Earthquake/fire	Not at all worried Not too worried Somewhat worried Very worried
How safe do you feel in each of the following areas at your school (before and after school)?	
Playgrounds or fields	Very unsafe Somewhat unsafe Somewhat safe Very safe
Lunchroom/Cafeteria	Very unsafe Somewhat unsafe Somewhat safe Very safe
Classrooms	Very unsafe Somewhat unsafe Somewhat safe Very safe
Bathrooms	Very unsafe Somewhat unsafe Somewhat safe Very safe
Parking lots	Very unsafe Somewhat unsafe Somewhat safe Very safe
Stairs and hallways	Very unsafe Somewhat unsafe Somewhat safe Very safe

On the school bus

Very unsafe  
Somewhat unsafe  
Somewhat safe  
Very safe

## PARENTS EMPOWERED QUESTIONS

My parents have set clear rules and expectations with me about NOT drinking ANY alcohol.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

During the past year (12 months), how often have you talked with at least one of your parents about the rules and expectations of NO alcohol use?

At least once a month  
Every 2 to 3 months  
Every 4 to 6 months  
A few times in the past year  
Talked, but not in the past year  
Never  
Never

## DRUG FREE COMMUNITIES QUESTIONS

During the past 12 months, have you talked with at least one of your parents about the dangers of tobacco, alcohol, or drug abuse? (Choose all that apply).

No  
Yes, tobacco use  
Yes, alcohol use  
Yes, drug use

How much do you think people risk harming themselves (physically or in other ways) if they: have five or more drinks once or twice each weekend?

No Risk  
Slight Risk  
Moderate Risk  
Great Risk

How much do you think people risk harming themselves (physically or in other ways) if they: Have five or more drinks of an alcoholic beverage once or twice a week?

No Risk  
Slight Risk  
Moderate Risk  
Great Risk

How much do you think people risk harming themselves (physically or in other ways) if they: Smoke marijuana once or twice a week?

No Risk  
Slight Risk  
Moderate Risk  
Great Risk

How much do you think people risk harming themselves (physically or in other ways) if they: Use prescription drugs that are not prescribed for them?	No Risk Slight Risk Moderate Risk Great Risk
How much do you think people risk harming themselves (physically or in other ways) if they: Smoke 1-5 cigarettes per day?	No Risk Slight Risk Moderate Risk Great Risk
How wrong do your parents feel it would be for YOU to: have one or two drinks of an alcoholic beverage nearly every day?	Very wrong Wrong A little bit wrong Not wrong at all
How wrong do your parents feel it would be for YOU to: use prescription drugs not prescribed to you?	Very wrong Wrong A little bit wrong Not wrong at all
How wrong do your friends feel it would be for you to: have one or two drinks of an alcoholic beverage nearly every day?	Very wrong Wrong A little bit wrong Not wrong at all
How wrong do your friends feel it would be for you to: smoke tobacco?	Very wrong Wrong A little bit wrong Not wrong at all
How wrong do your friends feel it would be for you to: smoke marijuana?	Very wrong Wrong A little bit wrong Not wrong at all
How wrong do your friends feel it would be for you to: use prescription drugs not prescribed to you?	Very wrong Wrong A little bit wrong Not wrong at all



During the past 30 days, did you drive a car or other vehicle when you had been drinking alcohol? If so, how many times?	I do not drive 0 times 1 time 2 or 3 times 4 or 5 times 6 or more times
--	--

## SCHOOL SAFETY

During the past 30 days, on how many days (if any) did you not go to school because you felt you would be unsafe at school or on the way to or from school?	0 days 1 day 2-3 days 4-5 days 6 or more days
---	---

During the past 12 months, how often (if at all) have you been picked on or bullied by a student ON SCHOOL PROPERTY?	0 days 1 day 2-3 days 4-5 days 6 or more days
--	---

During the past 12 months, how often (if at all), have you been threatened or harassed over the internet, by e-mail, or by someone using a cell phone?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times
--	--

## PLACES OF ALCOHOL

During the past year, did you drink alcohol at any of the following places? (Mark the number of times for each.)

- At my home or someone else's home without any parent permission
- At my home with my parents' permission
- At someone else's home with their parents' permission
- In another place\_\_\_\_\_
- In a car
- At or near school
- Someplace outside of town (for example, on public lands, in the desert, in a campground, etc.)

## SOCIAL DETERMINANTS OF HEALTH

This past year, did you experience any of the following? (Mark ALL that apply.)

- One or more people living in my home lost their job
- I had to move or change homes in the past year
- Skipped one or more meals because my family didn't have enough money to buy food
- I had difficulty keeping up with schoolwork because I didn't have access to a reliable computer or internet service
- I did not have a quiet place at home to study
- None of these

## HEALTH DEPARTMENT QUESTIONS

How often do you wear a seatbelt when riding in a car driven by someone else?

- Never
- Rarely
- Sometimes
- Most of the time
- Always

My parents expect me to eat dinner at home with my family.	Definitely No Somewhat No Somewhat Yes Definitely Yes
During the past 12 months, about how many days of school did you miss because of your asthma?	I do not have asthma 0 days 1 to 3 days 4 to 9 days 10 to 12 days 13 or more days
During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increased your heart rate and made you breathe hard some of the time.)	0 days 1 day 2 days 3 days 4 days 5 days 6 days 7 days
On an average school day, how many hours do you use an electronic device for something that is not school work? (Count time spent on things such as Xbox, PlayStation, texting, YouTube, Instagram, Facebook, or other social media.):	Less than 1 hour per day 1 hour per day 2 hours per day 3 hours per day 4 hours per day 5 or more hours per day
In a typical week, how many days do you walk, ride your bike or scooter (non-motorized), or skateboard to and from school?	No days 1 2 3 4 5
Has a doctor or nurse ever told you that you have asthma?	No Yes
Do you still have asthma	No Yes
During the past 12 months, did you have an episode of asthma or an asthma attack?	No Yes

An asthma action plan, or asthma management plan, is a form with instructions about when to change the amount or type of medicine, when to call the doctor for advice, and when to go to the emergency room. Has a doctor or other health professional EVER given you a written asthma action plan?	I do not have asthma Yes No Not sure
Do you have diabetes?	No Yes
Has a doctor or other health professional EVER given you a written diabetes care plan to help manage your diabetes in school?	I do not have diabetes Yes No Not sure
During the past 12 months, about how many days of school did you miss because of your diabetes?	I do not have diabetes 0 days 1 to 3 days 4 to 9 days 10 to 12 days 13 or more days
During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	No Yes
During the past 12 months, did you ever seriously consider attempting suicide?	No Yes
During the past 12 months, did you make a plan about how you would attempt suicide?	No Yes
During the past 12 months, how many times (if any)	
did you actually attempt suicide?	0 times 1 time 2 to 3 times 4 to 5 times 6 or more times
In the past seven days, I have felt left out.	Never Rarely Sometimes Often Always

In the past seven days, I have felt that people barely know me.	Never Rarely Sometimes Often Always
In the past seven days, I have felt isolated from others.	Never Rarely Sometimes Often Always
In the past seven days, I have felt that people are around me but not with me.	Never Rarely Sometimes Often Always
How tall are you without your shoes on?	Grid
How much do you weigh without your shoes on?	Grid
During the past 30 days, did you drive a car or other vehicle when you were talking on a cell phone? If so, on how many days?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times
During the past 30 days, did you text or e-mail while driving a car or other vehicle? If so, on how many days?	0 times 1 time 2 or 3 times 4 or 5 times 6 or more times
How are guns and bullets stored in your home?	We don't have any guns or bullets. Unlocked and in plain sight Locked or hidden, but I know how to access them. Locked or hidden, and I DON'T know how to access them Don't know

## SELF-HARM QUESTIONS

In the past 12 months, have you ever done something to purposefully hurt yourself without wanting to die, such as cutting or burning yourself on purpose? If so, how many times did you do so?

0 times  
1 time  
2 or 3 times  
4 or 5 times  
6 or more times

## TOBACCO QUESTIONS

Have you ever tried:

cigarettes, even just one puff?

No  
Yes

cigars, cigarillos, or little cigars, even a puff?

No  
Yes

tobacco in a hookah or waterpipe?

No  
Yes

vape products containing nicotine (such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)?

No  
Yes

vape products containing marijuana?

No  
Yes

chewing tobacco, snuff, dip, or snus (moist smokeless tobacco usually sold in small pouches)?

No  
Yes

nicotine pouches like Zyn, On, and Velo?

No  
Yes

nicotine lozenges (small hard or soft tablest containing nicotine that slowly dissolve in the mouth such as Velo or Rouge)?

No  
Yes

During the past 30 days, on how many days did you:

Smoke cigarettes?

0 days  
1 or 2 days  
3 to 5 days  
6 to 9 days  
10 to 19 days  
20 to 29 days  
all 30 days

Smoke cigars, cigarillos, or little cigars?

0 days  
1 or 2 days  
3 to 5 days  
6 to 9 days  
10 to 19 days  
20 to 29 days  
all 30 days

Smoke tobacco in a hookah or waterpipe?

0 days  
1 or 2 days  
3 to 5 days  
6 to 9 days  
10 to 19 days  
20 to 29 days  
all 30 days

use vape products containing nicotine (such as e-cigarettes, vape pens, mods, or pod vapes like JULL or Puff Bars)?

0 days  
1 or 2 days  
3 to 5 days  
6 to 9 days  
10 to 19 days  
20 to 29 days  
all 30 days

use vape products containing marijuana?

0 days  
1 or 2 days  
3 to 5 days  
6 to 9 days  
10 to 19 days  
20 to 29 days  
all 30 days

Use chewing tobacco, snuff, dip, or snus (moist smokeless tobacco usually sold in small pouches)?	<ul style="list-style-type: none"> <li>0 days</li> <li>1 or 2 days</li> <li>3 to 5 days</li> <li>6 to 9 days</li> <li>10 to 19 days</li> <li>20 to 29 days</li> <li>all 30 days</li> </ul>
Use nicotine pouches like Zyn, On, and Velo?	<ul style="list-style-type: none"> <li>0 days</li> <li>1 or 2 days</li> <li>3 to 5 days</li> <li>6 to 9 days</li> <li>10 to 19 days</li> <li>20 to 29 days</li> <li>all 30 days</li> </ul>
use nicotine lozenges (small hard or soft tablets containing nicotine that slowly dissolve in the mouth such as Velo or Rogue)?	<ul style="list-style-type: none"> <li>0 days</li> <li>1 or 2 days</li> <li>3 to 5 days</li> <li>6 to 9 days</li> <li>10 to 19 days</li> <li>20 to 29 days</li> <li>all 30 days</li> </ul>
How frequently (if ever) have you smoked cigarettes during the past 30 days?	<ul style="list-style-type: none"> <li>Not at all</li> <li>Less than one cigarette per day</li> <li>One to five cigarettes per day</li> <li>About one-half pack per day</li> <li>About one pack per day</li> <li>About one and one-half packs per day</li> <li>Two packs or more per day</li> </ul>
How much do you think people risk harming themselves (physically or in other ways) if they: use vape products such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars?	<ul style="list-style-type: none"> <li>No risk</li> <li>Slight risk</li> <li>Moderate risk</li> <li>Great risk</li> </ul>



How old were you when you first used a vape product (e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)?	<p>Never</p> <p>10 or younger</p> <p>11</p> <p>12</p> <p>13</p> <p>14</p> <p>15</p> <p>16</p> <p>17 or older</p>
How wrong do your parents feel it would be for YOU to use vape products such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars?	<p>Very Wrong</p> <p>Wrong</p> <p>A little bit wrong</p> <p>Not wrong at all</p>
If you smoked cigarettes or used vape products in the past 30 days, how did you usually get your own cigarettes or vape products? (CHOOSE ONLY ONE ANSWER FOR EACH TOBACCO TYPE- Vape Products, Regular Cigarettes)	<p>I did not use cigarettes or vape products (e-cigarettes, vape pens, mods, or pod vapes like JUUL) in the past 30 days</p> <p>I bought them in a store such as a convenience store, supermarket, discount store, or gas station</p> <p>I bought them at a tobacco smoke or vape shop</p> <p>I bought them at a vape shop</p> <p>I bought them on the internet or social media (such as Facebook, Instagram, or SnapChat)</p> <p>I gave someone else money to buy them for me</p> <p>I borrowed (or bummed) them from someone else</p> <p>A person 18 years old or older gave them to me</p> <p>I took them from a store or family member</p> <p>I got them some other way</p>
Do you think that you will try a cigarette soon?	<p>I have already tried smoking cigarettes</p> <p>No</p> <p>Yes</p>

If you have ever tried a tobacco product, which one did you try first?	<p>I have never tried any tobacco product</p> <p>Cigarettes</p> <p>Cigars, cigarillos, or little cigars</p> <p>Tobacco in a hookah or waterpipe</p> <p>Vape products such as e-cigarettes, vape pens, or pod vapes like JUUL or Puff Bars?</p> <p>Chewing tobacco, snuff, or dip</p> <p>Nicotine pouches like Zyn, On, or Velo</p> <p>Other</p>
If you ever used vape products, such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars, what flavor have you used most often?	<p>I have never used vape product</p> <p>Tobacco flavor</p> <p>Mint flavor</p> <p>Menthol flavor</p> <p>Sweet, alcohol, or other flavor</p>
If you smoked during the past 12 months, did you ever stop smoking for one day or longer because you were trying to quit smoking?	<p>I have not smoked in the past 12 months</p> <p>Yes</p> <p>No</p>
Do you think you will smoke a cigarette at any time during the next year?	<p>Definitely yes</p> <p>Probably yes</p> <p>Probably not</p> <p>Definitely not</p>
If one of your best friends offered you a cigarette, would you smoke it?	<p>Definitely yes</p> <p>Probably yes</p> <p>Probably not</p> <p>Definitely not</p>
Do you think that people can get addicted to vape products (e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)?	<p>Definitely yes</p> <p>Probably yes</p> <p>Probably not</p> <p>Definitely not</p>
Do you usually vape with nicotine, without nicotine, or both?	<p>I do not vape now</p> <p>Not at all</p> <p>A little</p> <p>Somewhat</p> <p>A lot</p>

How much do you want to stop vaping?	I do not vape now Not at all A little Somewhat A lot
Do you think you will use a vape product, such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars at any time during the next year?	Definitely yes Probably yes Probably not Definitely not
If one of your best friends offered you a vape product such as an e-cigarette, vape pen, or mod, would you use it?	Definitely yes Probably yes Probably not Definitely not
Do you think people can get addicted to using tobacco just like they can get addicted to using cocaine or heroin?	Definitely yes Probably yes Probably not Definitely not
Do you think young people who smoke cigarettes have more friends?	Definitely yes Probably yes Probably not Definitely not
Do you think that smoke from other people's cigarettes is harmful to you?	Definitely yes Probably yes Probably not Definitely not
During this school year, were you taught in any of your classes about the dangers of tobacco use?	No Yes Not sure
During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	0 days 1 or 2 days 3 or 4 days 5 or 6 days 7 days

During the past 7 days, one how many days did you ride in a car with someone who was smoking cigarettes?

0 days  
1 or 2 days  
3 or 4 days  
5 or 6 days  
7 days

Does anyone who lives with you now: (Mark ALL that apply)

Smoke cigarettes  
Use vape products (e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)  
Use other tobacco products  
No one lives with me now who uses any form of tobacco

In the past 30 days, how often have you seen or heard any advertising or campaigns against smoking?

Never  
Rarely  
Sometimes  
Often  
Very Often

## MENTAL HEALTH QUESTIONS

During the past 30 days, about how often did you:

feel nervous?

All of the time  
Most of the time  
Some of the time  
A little of the time  
None of the time

feel hopeless?

All of the time  
Most of the time  
Some of the time  
A little of the time  
None of the time

feel restless or fidgety?

All of the time  
Most of the time  
Some of the time  
A little of the time  
None of the time

feel so depressed that nothing could cheer you up?	All of the time Most of the time Some of the time A little of the time None of the time
feel that everything was an effort?	All of the time Most of the time Some of the time A little of the time None of the time
feel worthless?	All of the time Most of the time Some of the time A little of the time None of the time
How often in the last thirty days (if at all) did you talk to an adult (parent, doctor, counselor, teacher, etc.) about feeling very sad, hopeless, or suicidal?	I have not felt this way in the past 30 days 0 times 1 time 2 to 4 times 5 or more times
If you have felt very sad, hopeless, or suicidal in the past 30 days who did you talk to about it? (Mark all that apply)	I have not felt this way in the past 30 days I felt this way but did not talk to anyone about it Parent Friend//Peer Teacher Doctor School Nurse School Counselor Therapist Clergy (e.g. Bishop, Priest or Nun, Minister, Pastor) Other Adult

Do you think it's okay to seek help and talk to a professional counselor, therapist, or doctor if you've been feeling very sad, hopeless, or suicidal?

Yes  
No  
I think it's okay for other people to seek help but not for me to seek help

During the past 12 months, how many times (if any) did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)

I did not date or go out with anyone during the past 12 months  
0 times  
1 time  
2 or 3 times  
4 or 5 times  
6 or more times

## ADDITIONAL QUESTIONS

I feel safe in my neighborhood.

Definitely No  
Somewhat No  
Somewhat Yes  
Definitely Yes

If you have a religious preference, choose one which you identify the most.

Protestant (such as Baptists, Presbyterians, or Lutherans)  
Catholic  
Another religion  
Jewish  
LDS (Mormon)  
No preference

Now think about all the students in your grade at your school. How many of them do you think...

smoke one or more cigarettes a day?

None (0%)  
Few (1-10%)  
Some (11-30%)  
Half or less (31-50%)  
Half or more (51-70%)  
Most (71-90%)  
Almost All (91-100%)

drank alcohol sometime in the past month?	None (0%) Few (1-10%) Some (11-30%) Half or less (31-50%) Half or more (51-70%) Most (71-90%) Almost All (91-100%)
used marijuana sometime in the past month?	None (0%) Few (1-10%) Some (11-30%) Half or less (31-50%) Half or more (51-70%) Most (71-90%) Almost All (91-100%)
use an illegal drug in the past month (not including marijuana)?	None (0%) Few (1-10%) Some (11-30%) Half or less (31-50%) Half or more (51-70%) Most (71-90%) Almost All (91-100%)
used a vape product (e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars)?	None (0%) Few (1-10%) Some (11-30%) Half or less (31-50%) Half or more (51-70%) Most (71-90%) Almost All (91-100%)
If you wanted to get vape products such as e-cigarettes, vape pens, mods, or pod vapes like JUUL or Puff Bars, how easy would it be for you to get some?	Very hard Sort of Hard Sort of easy Very easy

During a typical week, how many days do all or most of your family eat at least one meal together?

0  
1  
2  
3  
4  
5  
6  
7

## HONESTY QUESTIONS

How old were you when you first: used phenoxydine (pox, px, breeze)

Never  
10 or younger  
11  
12  
13  
14  
15  
16  
17 or older

On how many occasions (if any) have you used phenoxydine (pox, px, breeze) in the past 30 days?

0 occasions  
1-2  
3-5  
6-9  
10-19  
20-39  
40+ above

How honest were you in filling out this survey?

I was very honest  
I was honest most of the time  
I was honest some of the time  
I was honest once in a while  
I was not honest at all